POPULATION HEALTH STRATIFICATION TOOLS AND SCORING: ADULT AND PEDIATRIC MENTAL HEALTH

ADULT MENTAL HEALTH		
A. Acute care utilization:		
Hospitalization or ED visits, SUD withdrawal management, ITA, SUD residential (all causes) in last 12 months	 0 = 0 points 1-2 = 1 point 3-5 = 5 points 6+ = 11 points 	
B. Social determinants of health:		
Housing stability	Stable housing = 0 pointsHomeless = 7 points	
Jail utilization (all types of incarceration) volume	 None in last 6 months = 0 points 1-2 incarcerations in last 6 months = 2 points 3+ incarcerations in last 6 months = 3 	
Jail length of stay	 Any one incarceration >2 consecutive years in last 5 years = 1 point 	
C. Chronic conditions		
Presence of diabetes, cardiovascular disease, asthma, or COPD	 None of these conditions = 0 points 1 of these conditions = 2 points 2+ conditions = 3 points 	
D. Assessments		
LOCUS	 13 and below = 1 point 14-16 = 4 points 17+ = 8 points 	

PEDIATRIC MENTAL HEALTH		
A. Acute care utilization:		
Hospitalization or ED visits, SUD withdrawal management, ITA, SUD residential (all causes) in last 12 months	 0 = 0 points 1-2 = 5 points 3-5 = 11 points 	
B. Social determinants of health:		
Foster care	 No history of foster care = 0 points History or current foster care = 3 points 	
C. Chronic conditions		
Presence of diabetes, cardiovascular disease, asthma, or COPD	 None of these conditions = 0 points 1 of these conditions = 2 points 2+ conditions = 3 points 	
D. Assessments		
CALOCUS	 13 and below = 1 point 14-16 = 5 points 17+ = 11 points 	

MENTAL HEALTH LEVELS OF CARE		
Low	0-4 total points	
Medium	5-10 total points	
High	11+ total points	