Public Health - Seattle & King County
Summary of Influenza Syndromic and Laboratory Surveillance

Influenza Update: August 8, 2020

During the week ending August 8, 2020:

• There were no new influenza-related deaths and no new outbreaks reported this week. Thirty-nine deaths and 27 outbreaks at long-term care facilities have been reported this season (since 9/29/2019).

• The percent of positive tests for respiratory viral pathogens at King County laboratories was below levels observed this time of year and below peak levels observed during the previous five seasons. COVID-19 testing is not currently included in laboratory reporting of respiratory pathogens.

• During the week ending August 8, the percent of emergency department (ED) visits for influenza-like illness (ILI) was below baseline levels among all ages combined, and among each individual age group. Among every age group except for adults ages 65 years and older, the percent of ED ILI visits overall this season is at or above levels observed during each of the previous five influenza seasons. The percent of ED ILI visits has been highest among pediatric age groups, peaking at or above four of the previous five influenza seasons. This season, the percent of admissions for influenza has been highest among adults ages 65 years and older, but below levels observed during each of the previous five influenza seasons.

At a glance

	Week Ending 08/08/2020	Since 09/29/2019	5-Year Average to Date	
Laboratory-confirmed influenza deaths	0	39	48.6	
Respiratory disease outbreaks at long-term care facilities (LTCFs)	0	27	57	
Percentage positive influenza tests by PCR[1]	0%	Season Peak	25.1%	
Number of labs reporting	5	Weekly Average	10	
Number of specimens tested	79	Weekly Average	1067	
Percentage of emergency department (ED) visits for ILI[2]	0.47%	Season Peak	6.93%	5-Year Average to Date	2.35%

[1]Based on King County hospital laboratory and sentinel provider submissions to CDC's National Respiratory and Enteric Virus Surveillance System (NREVSS). NREVSS data not available for all previous seasons due to change in reporting procedures. Changes in facilities reporting to NREVSS may impact counts.

[2]Based on Public Health - Seattle & King County's syndromic surveillance data representing aggregate percent of visits to King County EDs.

### Submissions to NREVSS by King County labs, PCR testing only

Week #	Week ending	# Labs reporting	A (H1N1)	A (H3N2)	A (Not typed)	B	# Tested	% Flu positive
29	7/18/2020	9	0	0	2	2	176	2.3%
30	7/25/2020	8	0	0	0	0	95	0%
31	8/1/2020	6	0	0	0	0	76	0%
32	8/8/2020	5	0	0	0	0	79	0%

Influenza results by subtype, PCR testing only (NREVSS)

Positive Influenza Results by Subtype, Using PCR Testing Methodologies

Positive and Negative Influenza Results, Using PCR Testing Methodologies

Public Health - Seattle & King County
Summary of Influenza Syndromic and Laboratory Surveillance

Influenza and other respiratory pathogens, PCR testing only (NREVSS)


King County syndromic surveillance

Weekly Percent of ED Visits for ILI by Year

Note: The change from ICD–9 to ICD–10 codes in October 2015 may impact trends.
Last updated Aug 2, 2020 ; 'current week' is week ending Aug 1, 2020
Baseline: Mean % ILI during non–flu weeks for previous three seasons, adding two standard deviations.
A non–flu week is a period of 2+ consecutive weeks where each one accounted for <2% of
the season's total number of specimens that tested positive for influenza by PCR.

Weekly Percent of ED Visits for Influenza—Like Illness By Age Group


ALLHOSPITALS, Last Updated Aug 12, 2020

National data from CDC

A Weekly Influenza Surveillance Report Prepared by the Influenza Division

Influenza-Like Illness (ILI) Activity Level Indicator Determined by Data Reported to ILINet

2019-20 Influenza Season Week 31 ending Aug 01, 2020

*This map uses the proportion of outpatient visits to healthcare providers for influenza-like illness to measure the ILI activity level within a state. It does not, however, measure the extent of geographic spread of flu within a state. Therefore, outbreaks occurring in a single city could cause the state to display high activity levels.
*Data collected in ILINet may disproportionately represent certain populations within a state, and therefore may not accurately depict the full picture of influenza activity for the whole state.
*Data displayed in this map are based on data collected in ILINet, whereas the State and Territorial flu activity map are based on reports from state and territorial epidemiologists. The data presented in this map is preliminary and may change as more data is received.
*Differences in the data presented by CDC and state health departments likely represent differing levels of data completeness with data presented by the state likely being the more complete.

Public Health - Seattle & King County
Summary of Influenza Deaths and Long-Term Care Facility (LTCF) Influenza Outbreaks

Confirmed cases as of week 32 (ending 08/08/20)														
	2019-2020		2018-2019		2017-2018		2016-2017		2015-2016		2014-2015		5-year avg
Influenza Deaths in Week 32	0		0		0		0		0		0		0.0
Influenza deaths, season to date (since 9/29/2019)	39		51		50		83		16		43		48.6
LTCF Outbreaks in Week 32	0		0		0		0		0		0		0.0
LTCF Outbreaks, season to date (since 9/29/2019)	27		43		68		92		17		63		56.6

	2019-2020		2018-2019		2017-2018		2016-2017		2015-2016		2014-2015		5-year avg	
Total Seasonal LTCF Outbreaks	**27**		**43**		**68**		**92**		**18**		**65**		**57.2**	
Flu type:														
A	12	44%	37	86%	15	22%	62	67%	7	39%	49	75%	34	59%
B	4	15%	0	0%	6	9%	3	3%	7	39%	4	6%	4	7%
A and B	2	7%	1	2%	5	7%	4	4%	0	0%	2	3%	2.4	4%
Info not available	9	33%	5	12%	42	62%	23	25%	4	22%	10	15%	16.8	29%

	2019-2020		2018-2019		2017-2018		2016-2017		2015-2016		2014-2015		5-year avg	
Total Seasonal Influenza Deaths	**39**		**52**		**50**		**84**		**16**		**43**		**49**	
Flu type:														
A	23	59%	48	92%	33	66%	75	89%	10	63%	40	93%	41.2	84%
H1/H1N1	8	21%	11	21%	1	2%	1	1%	6	38%	0	0%	3.8	8%
H3	1	3%	5	10%	6	12%	18	21%	1	6%	7	16%	7.4	15%
A (not typed)	14	36%	32	62%	26	52%	56	67%	3	19%	33	77%	30	61%
B	16	41%	2	4%	11	22%	7	8%	6	38%	3	7%	5.8	12%
Not typed	0	0%	2	4%	6	12%	1	1%	0	0%	0	0%	1.8	4%
Sex:														
Male	20	51%	27	52%	17	34%	41	49%	7	44%	17	40%	21.8	44%
Female	19	49%	25	48%	33	66%	43	51%	9	56%	26	60%	27.2	56%
Age:														
Under 5 years	1	3%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
5 - 17	1	3%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
18 - 44	4	10%	1	2%	0	0%	1	1%	3	19%	1	2%	1.2	2%
45 - 64	5	13%	13	25%	7	14%	5	6%	5	31%	6	14%	7.2	15%
65+ years	28	72%	38	73%	43	86%	78	93%	8	50%	36	84%	40.6	83%
Average	*67.9*		*73.6*		*81.1*		*81.9*		*64.9*		*81.7*		*76.6*	
Race:														
White	25	64%	35	67%	33	66%	54	64%	12	75%	35	81%	33.8	69%
Asian	2	5%	5	10%	2	4%	13	15%	2	13%	1	2%	4.6	9%
Black	1	3%	1	2%	3	6%	4	5%	2	13%	5	12%	3	6%
Amer Indian	1	3%	1	2%	0	0%	0	0%	0	0%	0	0%	0.2	0%
Hispanic/Latino	3	8%	2	4%	2	4%	3	4%	0	0%	1	2%	1.6	3%
Other	0	0%	0	0%	1	2%	1	1%	0	0%	1	2%	0.6	1%
Unknown	7	18%	8	15%	9	18%	9	11%	0	0%	0	0%	5.2	11%
Flu vaccine status														
Up to date	14	36%	16	31%	26	52%	39	46%	6	38%	21	49%	21.6	44%
Not up to date	15	38%	19	37%	10	20%	20	24%	8	50%	5	12%	12.4	25%
Unknown	10	26%	17	33%	14	28%	25	30%	2	13%	17	40%	15	31%

Report updated on 8/12/2020