

SHORT PLAT NO._

KING COUNTY, WASHINGTON

DEDICATION

KNOW ALL PEOPLE BY THESE PRESENTS THAT WE, THE UNDERSIGNED OWNER(S) OF INTEREST IN THE LAND HEREBY SHORT SUBDIVIDED, HEREBY DECLARE THIS SHORT PLAT TO BE THE GRAPHIC REPRESENTATION OF THE SHORT SUBDIVISION MADE HEREBY, AND DO HEREBY DEDICATE TO THE USE OF THE PUBLIC FOR-EVER, ALL STREETS AND AVENUES NOT SHOWN AS PRIVATE HEREON AND DE-DICATE THE USE THEREOF FOR ALL PUBLIC PURPOSES NOT INCONSISTENT WITH THE USE THEREOF FOR PUBLIC HIGHWAY PURPOSES, AND ALSO THE RIGHT TO MAKE ALL NECESSARY SLOPES FOR CUTS AND FILLS UPON THE LOTS SHOWN THEREON IN THE ORIGINAL REASONABLE GRADING OF SAID STREETS AND AVE-NUES, AND FURTHER DEDICATE TO THE USE OF THE PUBLIC ALL EASEMENTS AND TRACTS SHOWN ON THIS SHORT PLAT FOR ALL PUBLIC PURPOSES AS INDICATED THEREON, INCLUDING BUT NOT LIMITED TO PARKS, OPEN SPACES, UTILITIES AND DRAINAGE UNLESS SUCH EASEMENTS OR TRACTS ARE SPECIFIC-ALLY IDENTIFIED ON THIS SHORT PLAT AS BEING DEDICATED OR CONVEYED TO A PERSON OR ENTITY OTHER THAN THE PUBLIC, IN WHICH CASE WE DO HERE-BY DEDICATE SUCH STREETS, EASEMENTS, OR TRACTS TO THE PERSON OR ENTITY IDENTIFIED AND FOR THE PURPOSE STATED. FURTHER, THE UNDERSIGNED OWNERS OF THE LAND HEREBY SHORT SUB-DIVIDED WAIVE FOR THEMSELVES, THEIR HEIRS AND ASSIGNS AND ANY PERSON OR ENTITY DERIVING TITLE FROM THE UNDERSIGNED, ANY AND ALL CLAIMS FOR DAMAGES AGAINST KING COUNTY, ITS SUCCESSORS AND ASSIGNS WHICH MAY BE OCCASIONED BY THE ESTABLISHMENT, CONSTRUCTION, OR MAINTENANCE OF ROADS AND/OR DRAINAGE SYSTEMS WITHIN THIS SHORT SUBDIVISION OTHER THAN CLAIMS RESULTING FROM INADEQUATE MAINTENANCE BY KING COUNTY. FURTHER, THE UNDERSIGNED OWNERS OF THE LAND HEREBY SHORT SUB-DIVIDED AGREE FOR THEMSELVES, THEIR HEIRS AND ASSIGNS TO INDEMNIFY AND HOLD KING COUNTY. ITS SUCCESSORS AND ASSIGNS. HARMLESS FROM ANY DAMAGE, INCLUDING ANY COSTS OF DEFENSE, CLAIMED BY PERSONS WITHIN OR WITHOUT THIS SHORT SUBDIVISION TO HAVE BEEN CAUSED BY ALTERATIONS OF THE GROUND SURFACE, VEGETATION, DRAINAGE OR SURFACE OR SUB-SURFACE WATER FLOWS WITHIN THIS SHORT SUBDIVISION OR BY ESTABLISHMENT, CONST-RUCTION OR MAINTENANCE OF THE ROADS WITHIN THIS SHORT SUBDIVISION, PROVIDED THIS WAIVER AND INDEMNIFICATION SHALL NOT BE CONSTRUED AS RELEASING KING COUNTY, ITS SUCCESSORS OR ASSIGNS, FROM LIABILITY FOR DAMAGES, INCLUDING THE COST OF DEFENSE, RESULTING IN WHOLE OR IN PART FROM THE NEGLIGENCE OF KING COUNTY, ITS SUCCESSORS OR ASSIGNS THIS SURDIVISION DEDICATION WAIVER OF

CLAIMS AND AGREEMENT TO HOLD HARMLESS IS MADE WITH THE FREE CONSENT AND IN ACCORDANCE WITH THE DESIRES OF SAID OWNERS.
IN WITNESS WHEREOF WE SET OUR HANDS AND SEALS.
MATTHEW KOENIG SARA KOENIG
STATE OF WASHINGTON SS. COUNTY OF KING ON THIS DAY PERSONALLY APPEARED BEFORE ME TO ME KNOWN TO BE THE WITHIN AND FOREGOING INSTRUMENT. AND ACKNOWLEDGED SAID INSTRUMENT TO BE THE FREE AND VOLUNTARY ACT AND DEED OF SAID INDIVIDUAL, FOR THE PURPOSES THEREIN MENTIONED. AND ON OATH STATED THAT (HE/SHE) WAS AUTHORIZED TO EXECUTE SAID INSTRUMENT. GIVEN UNDER MY HAND AND OFFICIAL SEAL THIS DAY OF, 20
NOTARY PUBLIC RESIDING IN MY COMMISSION EXPIRES:
STATE OF WASHINGTON } SS. COUNTY OF KING }
ON THIS DAY PERSONALLY APPEARED BEFORE ME TO ME KNOWN TO BE THE THAT EXECUTED THE WITHIN AND FOREGOING INSTRUMENT. AND ACKNOWLEDGED SAID INSTRUMENT TO BE THE FREE AND VOLUNTARY ACT AND DEED OF SAID INDIVIDUAL, FOR THE PURPOSES THEREIN MENTIONED. AND ON OATH STATED THAT (HE/SHE) WAS AUTHORIZED TO EXECUTE SAID INSTRUMENT.

GIVEN UNDER MY HAND AND OFFICIAL SEAL THIS ____ DAY OF

RECORDER'S CERTIFICATE

FILED FOR RECORD THIS DAY OF, 20......

AT M IN BOOKAT PAGE......AT

SUPT. OF RECORDS

THE REQUEST OFSURVEYOR'S NAME

_____, 20___.

MANAGER

NOTARY PUBLIC

APPROVALS: DEPARTMENT OF DEVELOPMENT AND ENVIRONMENTAL SERVICES	DEPARTMENT OF ASSESSMENTS
EXAMINED AND APPROVED THIS DAY OF, 20	EXAMINED AND APPROVED THIS DAY OF
DIRECTOR, LAND USE SERVICES DIVISION	ASSESSOR
EXAMINED AND APPROVED THIS DAY OF, 20	

	DEPARTMENT OF ASSESSMENTS	RECO
S		
	EXAMINED AND APPROVED THIS DAY OF, 20	
		PORT
	ASSESSOR	NE 1
	DEBITY ASSESSOR	

ACCOUNT NUNBER ______

RECORDING NO.	VOL./PAGE	

TION OF

/4 OF SW 1/4, S.6, T.23N., R.4E.,W.M.

ORIGINAL LEGAL DESCRIPTIONS

DEVELOPMENT ENGINEER

THE NORTH 60 FEET OF THE SOUTH 240 FEET OF THE WEST 194.6 FEET OF THE NORTH 1/2 OF THE NORTHEAST 1/4 OF THE NORTHEAST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 6, TOWNSHIP 23 NORTH, RANGE 4 EAST, W.M., IN KING COUNTY, WASHINGTON;

TOGETHER WITH THE EAST 45 FEET OF THE WEST 194.6 FEET OF SAID SUBDIVISION: EXCEPT THE SOUTH 240 FEET OF SAID EAST 45 FEET;

EXCEPT THAT PORTION FOR COUNTY ROAD (10TH AVENUE SOUTHWEST).

SITUATE IN THE COUNTY OF KING, STATE OF WASHINGTON.

SURVEYOR'S NOTES

- 1. THIS SURVEY WAS MADE BY FIELD TRAVERSE USING A GEOMAX ZOOM 90 2" ROBOTIC TOTAL STATION AND TOPCON SR GPS WITH RESULTING CLOSURES EXCEEDING THE MINIMUM ACCURACY STANDARDS AS SET FORTH
- 2. THE BOUNDARY CORNERS AND LINES DEPICTED ON THIS MAP REPRESENT DEED LINES ONLY. THEY DO NOT PURPORT TO SHOW OWNERSHIP LINES THAT MAY OTHERWISE BE DETERMINED BY A COURT OF LAW.
- 3. A TITLE REPORT HAS NOT BEEN PROVIDED AT THIS TIME.
- 4. ANY UTILITIES SHOWN TO BE FIELD VERIFIED BEFORE PLANNING OR
- 5. FIELD WORK FOR THIS PROJECT WAS PERFORMED IN DECEMBER, 2020 AND IS THEREFORE A REFLECTION OF THE CONDITIONS AT THAT TIME. ALL MONUMENTS WERE VISITED IN FEBRUARY, 2016 & DECEMBER, 2020 AND SET IN DECEMBER, 2020. THIS SITE CONTAINS IMPROVEMENTS NOT LOCATED OR SHOWN AS A PART OF THIS SURVEY.
- 6. THIS SURVEY COMPLIES WITH ALL STANDARDS AND GUIDELINES OF THE "SURVEY RECORDING ACT," CHAPTER 58.09 RCW AND 332-130 WAC.
- 7. OVERHEAD UTILITY LINES SHOWN ON THIS MAP ARE INTENDED TO SHOW THE DIRECTION OF THE OVERHEAD UTILITY LINES ONLY AND DO NOT REPRESENT THE ACTUAL WIDTH, NUMBER OR LOCATION OF LINE(S) ON THE UTILITY POLES.

SITE INFORMATION

CONTACT: CONTACT ADDRESS: SITE ADDRESS:

ZONING:

MATTHEW & SARA KOENIG 3003 28TH AVE W SEATTLE, WA 98199 10410 10TH AVE SW SEATTLE, WA 98146

VICINITY MAP-N.T.S SW 104TH ST SW 106TH ST SW 107TH ST SW 108TH ST SW 112TH ST

LAND SURVEYOR'S CERTIFICATE

THIS SHORT PLAT CORRECTLY REPRESENTS A SURVEY MADE BY ME OR UNDER MY DIRECT SUPERVISION IN CONFORMANCE WITH THE REQUIREMENTS OF THE APPROPRIATE STATE AND COUNTY STATUTE AND ORDINANCE IN, 20......

EVAN MARK WAHLSTROM, LS#44651 EXP 10/04/22



PO Box 5137 Tacoma, WA 98415-0137 Phone: 253-627-2070 admin@i-landsurvey.com www.i-landsurvey.com

LAND SURVEYING • MAPPING • CONSTRUCTION LAYOUT



KOENIG SHORT PLAT

18					
7222	DWN. BY	DATE	JOB NO.		
	JR	12/21/2020	KOENM-2	00929	
7222	CHKD. BY	SCALE	SHEET		
ZZZ	EMW	N/A	1	OF	3



CENTER OF SECTION 6, T23N, R4E, W.M. FOUND CASED 3" W 1/4 COR, SEC 6, N89'53'01"E 2515.86'(M)(R2) T23N, R4E, W.M. ₁ FOUND CASED BRASS 1213.32'(R2) 651.27 651.27 PIN IN CONC BRASS DISK MONUMENT DOWN 0.9' oDLV 12-11-2020 DLV 12-11-2020 N05°28'58"W 331.67'(C) 628.96'(C) - S89°51'15"W 652.89' 654.50' 654.50' FOUND CASED 3/8" BRASS PLUG 0.51' E N89°49'29"E OF CALCULATED SECTION LINE DLV 2-3-2016 657.73'(R2) 657.74'(R2) 1270.86'(R2) 1315.47'(R2) N89'46'00"E S 1/4 COR, SEC 6, SW COR, SEC 6, 1 6 T23N, R4E, W.M. CALCULATED POSTION PER (R2) 12 7 T23N, R4E, W.M.

CALCULATED

7 POSTION PER (R2) 1328.41'(R2) 1328.41'(R2) N89'39'22"E 2656.82'(R2)

RECORDING NO. VOL./PAGE

SCALE:

1 INCH = 300 FT. 150 300 450 600 750 150 0

PORTION OF

NE 1/4 OF SW 1/4, S.6, T.23N., R.4E., W.M.

HORIZONTAL DATUM

NAD 1983(2011); PER RTK GPS TIES AND THE WASHINGTON STATE REFERENCE NETWORK (WSRN) NORTH ZONE. UNITS OF MEASUREMENT ARE U.S. SURVEY FEET.

VERTICAL DATUM

NAVD 1988 PER RTK GPS TIES AND THE WASHINGTON STATE REFERENCE NETWORK (WSRN). UNITS OF MEASUREMENT ARE U.S. SURVEY FEET.

REFERENCE SURVEYS

- R1) KING COUNTY BOUNDARY LINE ADJUSTMENT, RECORDING NO. 20071221900008
- R2) KING COUNTY SHORT PLAT,
- RECORDING NO. 2002013190007
- R3) RECORD OF SURVEY, RECORDING NO. 20160224900003

RECORDS OF KING COUNTY RECORDER'S OFFICE

LEGEND


CALCULATED SECTION CORNER

CALCULATED SECTION 1/4 CORNER

FOUND SECTION 1/4 CORNER

- ⊕ FOUND CASED MONUMENT (AS SHOWN)
- (R) DISTANCE PER REFERENCE
- (M) DISTANCE AS MEASURED
- (C) DISTANCE AS CALCULATED
- LS LICENSED LAND SURVEYOR
- DLV DATE LAST VISITED







LAND SURVEYING • MAPPING • CONSTRUCTION LAYOUT

KOENIG SHORT PLAT

DWN. BY	DATE	JOB NO.		
JR	12/21/2020	KOENM-2	00929	
CHKD. BY	SCALE	SHEET		
EMW	1"=300'	2	OF	3







(1) (T)

30'

10TH AVE

< 1 00 €

LINE OF

유표

H

1/4 SW

1/4

 \leq

Г⊨МВ

30'

30'

AREAS

SW 104TH ST

CHAIN LINK FENCE

ARBORVITAE ROW ON LINE

0.2' W & 0.4' N

WOOD FENCE

1.6'S

CHAIN LINK

ستشتبس

— CONCRETE

CRAWLSPACE

CONCRETE

WOOD FENCE

0.4' S OF LINE

WOOD FENCE & EDGE

OF GRAVEL 0.4' S

FOUND REBAR & ALUMINUM - CAP "LS 38964-31976

ACCESS

WOOD FENCE-

1.0' S

Turbur 7

0.3' E

24" 🖟

رْ "24

N LINE OF THE SW 1/4

WOOD FENCE

ON LINE
_CHAIN LINK

FENCE 0.5' S

EXISTING

RESIDENCE

4.9' GRAVEL 108.62'

N89°51'15"E 153.63'

(S LINE OF N 60')

EDGE OF GRAVEL

0.4'S

WOOD FENCE

0.3' S

ROCK WALL

WOOD FENCE

CONCRETE

DRIVEWAY

GRAVEL

S FACE WOOD

FOUND REBAR & CAP

"PLS 23604" 0.7' S03E

BORDER 0.4'S

(N LINE OF THE S 240')

~ 20**"**

112.96' 4.9'-

-CONCL WALL

36" MULTI

ORIGINAL PARCEL: 13,405±S.F./0.308±ACRES LOT 1: 6,647±S.F./0.153±ACRES LOT 2: 6,758±S.F./0.155±ACRES

CONC ROLL CURB & GUTTER

CONC ROLL CURB & GUTTER

N89°53'01"E 45.01

LOT 2

1422 -

45.01'

TFOUND REBAR &

FENCE ON LINE

W FACE WOOD

BORDER STRIP 0.2' W

CHAIN LINK

GRAVEL DRIVEWAY

CAP "DFA 17663"

RECORDING NO. VOL./PAGE

 $\mathbf{A} \mathbf{A} \mathbf{A} \mathbf{A} \mathbf{A} \mathbf{A}$

0

10

PORTION OF

SCALE:

NE 1/4 OF SW 1/4, S.6, T.23N., R.4E., W.M.

LEGEND

1 INCH = 20 FT.

- SET REBAR & CAP EMW LS #44651
- ▲ SET "MAG" NAIL & WASHER EMW LS #44651

10

20

30

40

- O FOUND REBAR & CAP (AS SHOWN)
- GAS METER
- [PMT] POWER METER
- 心 POWER POLE
- POWER POLE W/LIGHT
- POWER POLE W/LIGHT & TRANSFORMER
 - 国 STORM DRAIN CATCH BASIN
 - (s) SEWER MANHOLE
 - M IRRIGATION CONTROL BOX
 - FIRE HYDRANT
 - 出 WATER METER
 - ₩ WATER VALVE
 - ==MB MAIL BOX
 - FRUIT TREE
 - DECIDUOUS TREE
 - MAPLE TREE
 - CONIFER TREE
 - LS LICENSED LAND SURVEYOR
 - CHAIN LINK FENCE

 WOOD FENCE

 OH OH OH OH OH

 OVERHEAD UTILITY LINE

 D- D- D- D- D- D- STORM DRAIN LINE

 FDGE OF VEGETATION

 - SEWER LINE CENTERLINE OF DITCH

SEWER STRUCTURE TABLE


- SEWER MANHOLE RIM EL=413.79' CENTER CHANNEL I.E.=399.04'
- SEWER MANHOLE
 RIM EL=410.65'
 (N,S) 8" CONC.
 CENTER CHANNEL
 I.E.=396.02'

STORM STRUCTURE TABLE

- (T) CATCH BASIN
 RIM EL=413.65'
 (N) 12" CONC. I.E.=411.40'
 (S) 12" CONC. I.E.=411.35'
- -

12" CONC CULVERT I.E.=410.04'


- 3 12" CONC CULVERT I.E.=409.99"
- 4 12" CONC CULVERT I.E.=409.91'



informed land survey

PO Box 5137 Tacoma, WA 98415-0137 Phone: 253-627-2070 admin@i-landsurvey.com www.i-landsurvey.com


LAND SURVEYING • MAPPING • CONSTRUCTION LAYOUT




KOENIG SHORT PLAT

DWN. BY JR	DATE 12/21/2020	JOB NO. KOENM-200929		
CHKD. BY FMW	SCALE 1"=20'	SHEET	OF	7
	1 – 20	<u> </u>	<u> </u>	

NOTE:
THE EXISTING UTILITIES AS SHOWN
ARE ONLY APPROXIMATE AND ARE
BASED ON THE BEST AVAILABLE
INFORMATION. IT SHALL BE THE
CONTRACTOR'S RESPONSIBILITY TO
VERIFY THE SIZE, TYPE, LOCATION,
AND DEPTH OF ALL EXISTING UTILITIES
PRIOR TO STARTING CONSTRUCTION,
AND INFORM THE DESIGN ENGINEER
OF ANY DISCREPANCIES.





CHAIN LINK FENCE

ON LINE

0.8'S

WOOD FENCE