



PATH: U:\P50\Projects\Clients\1521-075-ELST\985Secs\CADD\Phase 19\T03 CIV\DWG\ LAYOUT: SD1 PLOTTED BY: purgaban DATE: Friday, July 07, 2017 5:18:03 PM




PROFILE - STA 290+30

HORIZ: 1"=10'
VERT: 1"=5'




PROFILE - STA 298+83

HORIZ: 1"=10'
VERT: 1"=5'




PROFILE - STA 314+47

HORIZ: 1"=10'
VERT: 1"=5'




PROFILE - STA 328+65

HORIZ: 1"=10'
VERT: 1"=5'




PROFILE - STA 342+00

HORIZ: 1"=10'
VERT: 1"=5'




PROFILE - STA 361+60

HORIZ: 1"=10'
VERT: 1"=5'



PROFILE - STA 367+00

HORIZ: 1"=10'
VERT: 1"=5'



PROFILE - STA 384+25

HORIZ: 1"=10'
VERT: 1"=5'

- GENERAL NOTES:**
- CULVERTS SHALL HAVE BEVELED END SECTIONS PER 2007 KCRS FIG. 7-001.
 - STRUCTURE OFFSETS ARE MEASURED TO CENTER OF GRATE.
 - CATCH BASIN TYPE 1 SHALL BE PER 2007 KCRS FIG. 7-003.
 - CATCH BASIN TYPE 2 SHALL BE PER 2007 KCRS FIG. 7-005 AND FIG. 7-006.
 - CIRCULAR FRAME (RING) AND COVER SHALL BE PER 2007 KCRS FIG. 7-022, AND FIG. 7-023.
 - RECTANGULAR SOLID METAL COVER SHALL BE PER 2007 KCRS FIG. 7-014 AND FIG. 7-015.
 - CL IV RCP = CLASS IV REINFORCED CONCRETE STORM SEWER PIPE.
 - CORR HDPE = CORRUGATED HIGH DENSITY POLYETHYLENE STORM SEWER PIPE.
 - RECTANGULAR HERRINGBONE GRATES SHALL BE PER 2007 KCRS FIG. 7-013.
 - MH TYPE 3 SHALL BE PER 2007 KCRS FIG. 7-009.
 - CIRCULAR GRATE SHALL BE PER WSDOT STANDARD PLAN B-30.80-00.
 - CONCRETE COLLAR SHALL BE PER WSDOT STANDARD PLAN B-60.20-00.
 - DEBRIS CAGE SHALL BE PER 2007 KCRS FIG. 7-028.


CITY OF SAMMAMISH APPROVAL	
City Engineer _____	Date _____
Community Development _____	Date _____

**REVISED 60% REVIEW SUBMITTAL
NOT FOR CONSTRUCTION**

REVISIONS	DATE	BY	DESIGNED
			C. BUIRAGO
			B. PURGANAN
			P. JOHANNESSEN
			Y. HO

ONE INCH AT FULL SCALE, IF NOT, SCALE ACCORDINGLY

FILE NAME: BL1521075P19T03SD-01
JOB No: 554-1521-075 P19 T03
DATE: JULY 2017



Parametrix
ENGINEERING · PLANNING · ENVIRONMENTAL SCIENCES

719 2ND AVENUE, SUITE 200 | SEATTLE, WA 98104
P 206.394.3700
WWW.PARAMETRIX.COM


PROJECT NAME
**EAST LAKE SAMMAMISH
MASTER PLAN TRAIL
SOUTH SAMMAMISH SEGMENT B**
SAMMAMISH, WA

**STORM DRAINAGE PROFILES
AND SECTIONS**

SHEET NO.
93 OF 158
SD1


GENERAL NOTES:

1. CULVERTS SHALL HAVE BEVELED END SECTIONS PER 2007 KCRS FIG. 7-001.
2. STRUCTURE OFFSETS ARE MEASURED TO CENTER OF GRATE.
3. CATCH BASIN TYPE 1 SHALL BE PER 2007 KCRS FIG. 7-003.
4. CATCH BASIN TYPE 2 SHALL BE PER 2007 KCRS FIG. 7-005 AND FIG. 7-006.
5. CIRCULAR FRAME (RING) AND COVER SHALL BE PER 2007 KCRS FIG. 7-022, AND FIG. 7-023.
6. RECTANGULAR SOLID METAL COVER SHALL BE PER 2007 KCRS FIG. 7-014 AND FIG. 7-015.
7. CL IV RCP = CLASS IV REINFORCED CONCRETE STORM SEWER PIPE.
8. CORR HDPE = CORRUGATED HIGH DENSITY POLYETHYLENE STORM SEWER PIPE.
9. RECTANGULAR HERRINGBONE GRATES SHALL BE PER 2007 KCRS FIG. 7-013.
10. MH TYPE 3 SHALL BE PER 2007 KCRS FIG. 7-009.
11. CIRCULAR GRATE SHALL BE PER WSDOT STANDARD PLAN B-30.80-00.
12. CONCRETE COLLAR SHALL BE PER WSDOT STANDARD PLAN B-60.20-00.
13. DEBRIS CAGE SHALL BE PER 2007 KCRS FIG. 7-028.



PROFILE - STA 436+30

HORIZ: 1"=10'
VERT: 1"=5'



PROFILE - STA 457+85

HORIZ: 1"=20'
VERT: 1"=5'

CITY OF SAMMAMISH APPROVAL	
City Engineer _____	Date _____
Community Development _____	Date _____

REVISED 60% REVIEW SUBMITTAL
NOT FOR CONSTRUCTION

LAYOUT: SD2
 PATH: U:\PSO\Projects\Clients\1521-075-ELST\99Svcs\CADD\Phase 19\T03_Civil\Draw\ PLOTTED BY: purgaban DATE: Monday, July 10, 2017 12:07:02 PM

REVISIONS	DATE	BY	DESIGNED
			C. BUITRAGO
			B. PURGANAN
			P. JOHANNESSEN
			Y. HO

ONE INCH AT FULL SCALE, IF NOT, SCALE ACCORDINGLY
 FILE NAME: BL1521075P19T03SD-01
 JOB No.: 554-1521-075 P19 T03
 DATE: JULY 2017




Parametrix
 ENGINEERING · PLANNING · ENVIRONMENTAL SCIENCES
 719 2ND AVENUE, SUITE 200 | SEATTLE, WA 98104
 P 206.394.3700
 WWW.PARAMETRIX.COM

PROJECT NAME
**EAST LAKE SAMMAMISH
 MASTER PLAN TRAIL
 SOUTH SAMMAMISH SEGMENT B**
 SAMMAMISH, WA


**STORM DRAINAGE PROFILES
 AND SECTIONS**

SHEET NO.
 94 OF 158
SD2


PATH: U:\PSO\Projects\Clients\1521-KingCo\554-1521-075-ELST\99Svcs\CADD\Phase 19\T03_Civil\DWG\ LAYOUT: SD3 PLOTTED BY: purganan DATE: Friday, July 07, 2017 5:18:26 PM



PROFILE - STA 452+80
 HORIZ: 1"=10'
 VERT: 1"=5'



PROFILE - STA 455+75
 HORIZ: 1"=10'
 VERT: 1"=5'



PROFILE - STA 456+25
 HORIZ: 1"=10'
 VERT: 1"=5'

GENERAL NOTES:

1. CULVERTS SHALL HAVE BEVELED END SECTIONS PER 2007 KCRS FIG. 7-001.
2. STRUCTURE OFFSETS ARE MEASURED TO CENTER OF GRATE.
3. CATCH BASIN TYPE 1 SHALL BE PER 2007 KCRS FIG. 7-003.
4. CATCH BASIN TYPE 2 SHALL BE PER 2007 KCRS FIG. 7-005 AND FIG. 7-006.
5. CIRCULAR FRAME (RING) AND COVER SHALL BE PER 2007 KCRS FIG. 7-022, AND FIG. 7-023.
6. RECTANGULAR SOLID METAL COVER SHALL BE PER 2007 KCRS FIG. 7-014 AND FIG. 7-015.
7. CL IV RCP = CLASS IV REINFORCED CONCRETE STORM SEWER PIPE.
8. CORR HDPE = CORRUGATED HIGH DENSITY POLYETHYLENE STORM SEWER PIPE.
9. RECTANGULAR HERRINGBONE GRATES SHALL BE PER 2007 KCRS FIG. 7-013.
10. MH TYPE 3 SHALL BE PER 2007 KCRS FIG. 7-009.
11. CIRCULAR GRATE SHALL BE PER WSDOT STANDARD PLAN B-30.80-00.
12. CONCRETE COLLAR SHALL BE PER WSDOT STANDARD PLAN B-60.20-00.
13. DEBRIS CAGE SHALL BE PER 2007 KCRS FIG. 7-028.

CITY OF SAMMAMISH APPROVAL	
City Engineer _____	Date _____
Community Development _____	Date _____

REVISED 60% REVIEW SUBMITTAL
 NOT FOR CONSTRUCTION

REVISIONS	DATE	BY	DESIGNED
			C. BUITRAGO
			B. PURGANAN
			P. JOHANNESSEN
			Y. HO

ONE INCH AT FULL SCALE, IF NOT, SCALE ACCORDINGLY
 FILE NAME: BL1521075P19T03SD-01
 JOB No.: 554-1521-075 P19 T03
 DATE: JULY 2017



Parametrix
 ENGINEERING · PLANNING · ENVIRONMENTAL SCIENCES
 719 2ND AVENUE, SUITE 200 | SEATTLE, WA 98104
 P 206.394.3700
 WWW.PARAMETRIX.COM

PROJECT NAME
EAST LAKE SAMMAMISH MASTER PLAN TRAIL SOUTH SAMMAMISH SEGMENT B
 SAMMAMISH, WA

STORM DRAINAGE PROFILES AND SECTIONS
SD3

SHEET NO.
 95 OF 158