

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Lester	Robert	Open	N/A	03/22/18	TCE	N/A	Phone	N/A	I (Colin Worsley) called Mr. Lester to follow up on the TCE Authorization letter that was sent by the City of Sammamish for the Zackuse Creek Culvert Replacement. He said he did not receive a TCE Authorization letter, but was aware of the project. I told him that we need his signature for the TCE and asked for his address and email address. He does not have an email address but provided his physical home address. The City will send TCE letter.
Johnson	John & Barbara	Open	03/15/18		ROE	E-mail		Colin- Thank you for your note. We were away at a conference for the day. As earlier communicated, we are interested in the outcome of the legal matters first. Thank you for your understanding. John & Barbara Johnson	
Wang/Hallmann	Debbie & Joerg	Open	N/A	03/15/18	TCE	N/A	In-Person	N/A	03-15-18 in-person visit, talked, they will go to City to sign and notarize. Got phone number.
Lester	Robert	Open	N/A	03/15/18	TCE	N/A	In-Person	N/A	03-15-18 in-person visit, no one home, left door hanger.
Peterson	Randall & Liselott	Open	N/A	03/15/18	TCE	N/A	In-Person	N/A	03-15-18 in-person visit, talked. Had concerns about surface water near trail. Told him to send trail concerns to ELST email address. Wants to talk about Zackuse Cr Project with neighbor and wife before signing. He will go to City to sign and notarize afterward. He will provide email address and phone number when he sends in comments on surface water.
Klomp	Terry & Margaret	Open	N/A	03/15/18	TCE	N/A	In-Person	N/A	03-15-18 in-person visit, talked, they will go to City to sign and notarize. Got phone number.
Wang/Hallmann	Debbie & Joerg	Open	N/A	03/08/18	TCE	N/A	E-Mail	N/A	Dear Mr. Hallmann and Ms. Wang, This email message is follow up to the December 20, 2017 letter mailed to you from the City of Sammamish regarding the Zackuse Creek Fish Passage and Stream Restoration Project. The City of Sammamish and King County Parks are partners in the shared goal to improve stream habitat and provide fish passable culverts in Zackuse Creek. We will be replacing the undersized culvert under East Lake Sammamish Shore Lane NE with a fish passable culvert. The existing culvert is located at 205 East Lake Sammamish Shore Lane NE. The replacement is planned for Summer 2018 and will be completed concurrently with culvert replacements under East Lake Sammamish Parkway and the East Lake Sammamish Trail. We respectfully request a notarized signature on behalf of all property owners authorizing a temporary construction easement. This authorization is needed from all property owners along Shore Lane in order to replace the culvert because it is our understanding that all owners have a right to use Shore Lane for private access. The City needs authorization to use Shore Lane for the culvert replacement and to close access where necessary during construction. I have attached an electronic copy of the Temporary Access Easement Request Letter and Temporary Construction Easement for your review and signature. Please let me or Tawni Dalziel (Sr. Stormwater Program Manager, City of Sammamish) know if you have any questions. Regards, Colin Worsley
Klomp	Terry & Margaret	Open	N/A	03/08/18	TCE	N/A	E-Mail	N/A	Dear Mr. and Ms. Klomp, This email message is follow up to the December 20, 2017 letter mailed to you from the City of Sammamish regarding the Zackuse Creek Fish Passage and Stream Restoration Project. The City of Sammamish and King County Parks are partners in the shared goal to improve stream habitat and provide fish passable culverts in Zackuse Creek. We will be replacing the undersized culvert under East Lake Sammamish Shore Lane NE with a fish passable culvert. The existing culvert is located at 205 East Lake Sammamish Shore Lane NE. The replacement is planned for Summer 2018 and will be completed concurrently with culvert replacements under East Lake Sammamish Parkway and the East Lake Sammamish Trail. We respectfully request a notarized signature on behalf of all property owners authorizing a temporary construction easement. This authorization is needed from all property owners along Shore Lane in order to replace the culvert because it is our understanding that all owners have a right to use Shore Lane for private access. The City needs authorization to use Shore Lane for the culvert replacement and to close access where necessary during construction. I have attached an electronic copy of the Temporary Access Easement Request Letter and Temporary Construction Easement for your review and signature. Please let me or Tawni Dalziel (Sr. Stormwater Program Manager, City of Sammamish) know if you have any questions. Regards, Colin Worsley
Johnson	John & Barbara	Open	03/05/18	03/15/18	ROE	E-mail	E-Mail	Colin- Thank you for reaching out to us. We did receive a phone call a couple weeks ago about this, and we mentioned to the person that due to the pending legal issues between the City and County regarding the ELST, we are holding off on the right of entry authorization for now. We do have all the paperwork you reference, so we will be prepared to sign at an appropriate point in the future. Thank you again. John & Barbara Johnson	Dear Mr. and Ms. Johnson, We will be visiting some property owners along the East Lake Sammamish Trail Corridor later this morning (Thursday) and would like to stop by your residence to discuss concerns you may have regarding permitting or other for the East Lake Sammamish Trail. We hope you are available. Regards, Colin Worsley
Kotzenberg	Fiona	Open	N/A	02/23/18	ROE	N/A	Letter	N/A	Dear Mr. & Mrs. Kotzenberg, King County is in the process of designing South Sammamish Segment B of the East Lake Sammamish Master Plan Trail project. This 3.5 mile segment extends from Inglewood Hill Road to SE 33rd Street. Over the next couple of months, the design team will be doing survey work along the trail corridor to collect data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining complete and accurate information about drainage pathways, streams, and drainage problem areas. The purpose of this letter is to request entry to your property located at the address above. Specifically, the County is requesting entry to survey the existing storm drainage system and outfall to Lake Sammamish on your property. Entry will be made by way of the adjoining trail property. This involves project consultants entering your property, walking the drainage path, and collecting topographic survey of the land and underground stormwater pipes. These specific conditions will be documented in field notes and may be photographed. We are requesting a temporary right of access allowing access only on weekdays between 8 a.m. and 5 p.m. This work should take no more than one day and is scheduled to occur sometime in March and April. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return this letter in the enclosed self-addressed envelope. Please note on the form if you would like to be notified several days in advance of entry to your property or if there are any special access requirements (e.g., access through locked gates or containment of pets). Your prompt attention is appreciated. King County is committed to being a good neighbor throughout design and construction of the East Lake Sammamish Trail and we look forward to working with you. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov. Sincerely, Colin Worsley

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Buck	Colleen	Open	02/09/18	02/13/18	Drainage	E-mail	E-Mail	Mr Colin Worsley, As the ELST project continues to move forward, we have not received any correspondence regarding the concerns shared in July 2017 memo. I've reattached the memo again with the intent to gain a better understanding of how King County is planning to mitigate the ELST drainage onto private property. If you're not the person who's responsible for addressing the outlined concerns, could you please forward our concerns to the appropriate project superintendent, executive or elected official. Best Regards, Buck Family	Dear Mr. Fujiwara and Buck Family, Thank you for the email message. Your comments are being reviewed by the ELST Project Team. I will be in contact with your shortly to provide responses to the July 10, 2017 letter. Regards, Colin Worsley
Gill Trust	Larry Gill	Closed	N/A	03/22/18	ROE	N/A	Phone	N/A	Savanna spoke with Mr. Gill. He said that he would be signing it tomorrow, and will place it in the mail. He asked me to follow up with him on Tuesday the 27th.
Wolfe	Jim	Closed	N/A	03/21/18	Drainage	N/A	E-Mail	N/A	Dear Mr. Wolfe, This is a follow up to our meeting with you on March 8, 2018 where ELST (East Lake Sammamish Trail) project team members met you to discuss locating the underground drainage system that is on yours and King County's property. A blockage in this drainage system was identified on February 22, 2018 when the project surveyors ran a conductible line from the end of the outlet pipe discharging to Lake Sammamish east toward the trail. The surveyors identified the path of the drainage pipe on your property to a point between your house and the trail where the blockage was found that prevented the conductible line from continuing any further. The surveyors will need to schedule another visit and use alternative methods to determine the cause of the blockage and to complete the survey of the drainage pipe. As discussed, at our meeting the surveyors would like to access (only) the southeastern corner of your property between your house and your eastern property line to dig and access the pipe (see attached map). If you will allow King County's surveyors to collect additional data of the drainage pipe on this area of your property, please send me an email with your approval. Once again, we appreciate your cooperation. If you have any other questions or concerns regarding this or other aspects of the trail project, please feel free to contact the project hotline at 1-888-668-4886 or ELST@kingcounty.gov. Sincerely, Colin Worsley
Wolfe	Jim	Closed	03/21/18	N/A	Drainage	E-mail	N/A	I approve what you have presented in this email and the attached letter. Please contact me with information on when this work will be executed. Thank you, Jim Wolfe March 21, 2018	N/A
MLSK, LLC	Tim Comer Katie Comer	Closed	N/A	03/19/18	Contact Information	N/A	E-Mail	N/A	Dear Mr. and Ms. Comer, Thank you for signing and returning the right of entry authorization earlier this month for the geotechnical boring on Parcel Number 519710TRCT. We appreciate your support of the Pine Lake Creek Culvert Replacement! Throughout the project we will be sending out communications to adjacent neighbors. We currently do not have a phone number on file with your contact information. If possible, please provide us with a phone number so we can include this as a communication method for reaching you. Regards, Colin Worsley
Spencer	Raymond	Closed	03/16/18	03/16/18	TCE	E-mail	E-Mail	Tawni Sorry for my delayed response. We have been out of town for several weeks and I am just now getting to this. We support the stream restoration and I don't see any reason we wouldn't grant a TCE over our property to that end. What is your timing. I assume your window is when there is no risk to any fish using the lower portion for spawning. As I mentioned we just got back, so I may not get this done till next week. If that's a problem let me know. Thanks Raymond	Hi Ray, No apologies needed. The work will start in June and continue through the end of Sept. However, the work on Shore Lane culvert will impact access for 2-3 weeks in that time period. The trail will be improved so that all residents will be able to ingress egress through it. When we get a contractor on board they will give us their construction schedule which I will share with residents. Next week is great for signing the TCE. There is a notary available at City Hall. Thank you! Tawni
Beyeler-Vasquez	Frederick and	Closed	N/A	03/15/18	TCE	N/A	In-Person	N/A	03-15-18 in-person visit, talked, they will go to City to sign and notarize for both parcels. Got phone number.
Del Matto	Bradley &	Closed	N/A	03/15/18	TCE	N/A	In-Person	N/A	03-15-18 in-person visit. Got phone number. We will call back to set up time to meet, sign, notarize in evening.
McCallum	Douglas &	Closed	N/A	03/15/18	TCE	N/A	In-Person	N/A	03-15-18 in-person visit, no one home, left door hanger for this parcel (they previously signed for the adjacent parcel they own).
Murray	Ed & Joan	Closed	N/A	03/15/18	TCE	N/A	In-Person	N/A	03-15-18 in-person visit, talked, they will go to City to sign and notarize.
O'Neill	James & Mary	Closed	N/A	03/15/18	TCE	N/A	In-Person	N/A	03-15-18 in-person visit, talked, they will go to City to sign and notarize.
Spencer	Raymond	Closed	N/A	03/15/18	TCE	N/A	In-Person	N/A	03-15-18 in-person visit, no one home, left door hanger.
Spencer	Raymond	Closed	N/A	03/15/18	TCE	N/A	Phone	N/A	Savanna called Mr. Spencer, he did not answer, but a voicemail was left. I gave the Hotline number for him to call back.
Gill Trust	Larry Gill	Closed	N/A	03/15/18	ROE	N/A	Phone	N/A	Savanna called Mr. Gill to inquire about the ROE. Mr. Gill said he is injured and fighting an infection but will try to respond to the ROE by email as soon as he can.
O'Neill	James & Mary	Closed	03/13/18	03/15/18	TCE	E-mail	E-Mail	Thanks for sending this. What I'm wondering is does the temporary access road use the centerline of the current dirt trail, the centerline as pegged for the new trail, or something else?	Dear Mr. O'Neill, The temporary access road will use the centerline as pegged for the new trail. Please feel free to contact Tawni Dabiel or me if further questions. Regards, Colin Worsley
O'Neill	James & Mary	Closed	03/09/18	03/13/18	TCE	E-mail	E-Mail	OK the easement is for the use of Shore LN NE, got it. Got that confused with the 20' needed for the temporary road. I'd still like to know the siting of the temporary road that will run atop the trail, the one that will allow access to the homes north of the culvert.	Dear Mr. O'Neill, Please find attached the Temporary Traffic Access sheet (Sheet TA1) from the 90% plan set. This sheet shows the begin and end locations of the temporary access road for properties north of Zucke Creek. Please feel free to contact Tawni Dabiel or me if further questions. Regards, Colin Worsley
Wolfe	Jim	Closed	N/A	03/08/18	Drainage	N/A	In-Person	N/A	David Ulrich and I (Colin Worsley) met with Mr. Wolfe to discuss additional survey needed to complete the survey of the underground drainage system that is located on Mr. Wolfe's and King County's property. A blockage in this drainage system was identified on 02-22-18 when the project surveyors ran a conductible line from the end of the outlet pipe discharging to Lake Sammamish east toward the trail. We discussed the area on Mr. Wolfe's property that the surveyors will need to access, which is limited to the southeastern corner of his property between his house and his eastern property line. The surveyors will dig and access the pipe here, if conditions are suitable. Mr. Wolfe does not want the Project Team surveying on the lakeside of his property. Mr. Wolfe wanted to talk about rerouting the water in this drainage system to the stream that flows onto his neighbor's property (Crevee). We told him this comment was forwarded to the design team. I will send a follow up email message requesting access limited to the southeastern corner of his property.

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Gill Trust	Larry Gill	Closed	N/A	03/08/18	ROE	N/A	E-Mail	N/A	Dear Mr. Gill, This email message is follow up to the previous letters and email messages sent you regarding right of entry for the geotechnical exploration field work needed for the Pine Lake Creek Culvert Replacement project design. If more convenient, you may respond to this message by stating that you give permission to enter your property (the mutually owned tract, Parcel Number 519710TRCT) for geotechnical field exploration. Please contact the ELST project hotline at 1-888-668-4886 or ELST@kingcounty.gov if you have any questions. Regards, Colin Worsley
McCallum	Douglas & Joyce	Closed	N/A	03/08/18	TCE	N/A	E-Mail	N/A	Dear Mr. and Ms. McCallum, This email message is follow up to the temporary construction easement requests regarding the Zackuse Creek Fish Passage and Stream Restoration Project. Thank you for providing the signed temporary construction easement for Parcel #1738700070. We appreciate your cooperation and timeliness in getting this returned to us! However, there is another parcel owned by you that we will also need signature for (Parcel #1738700065). We respectfully request a notarized signature for this second parcel owned by you. I have attached an electronic copy of the Temporary Access Easement Request Letter and Temporary Construction Easement for Parcel #1738700065 for your review and signature. Please let me or Tawni Dalziel (Sr. Stormwater Program Manager, City of Sammamish) know if you have any questions. Regards, Colin Worsley
Del Matto	Bradley & Lorelle	Closed	N/A	03/08/18	TCE	N/A	E-Mail	N/A	Dear Mr. and Ms. Del Matto, This email message is follow up to the December 20, 2017 letter mailed to you from the City of Sammamish regarding the Zackuse Creek Fish Passage and Stream Restoration Project. The City of Sammamish and King County Parks are partners in the shared goal to improve stream habitat and provide fish passable culverts in Zackuse Creek. We will be replacing the undersized culvert under East Lake Sammamish Shore Lane NE with a fish passable culvert. The existing culvert is located at 205 East Lake Sammamish Shore Lane NE. The replacement is planned for Summer 2018 and will be completed concurrently with culvert replacements under East Lake Sammamish Parkway and the East Lake Sammamish Trail. We respectfully request a notarized signature on behalf of all property owners authorizing a temporary construction easement. This authorization is needed from all property owners along Shore Lane in order to replace the culvert because it is our understanding that all owners have a right to use Shore Lane for private access. The City needs authorization to use Shore Lane for the culvert replacement and to close access where necessary during construction. I have attached an electronic copy of the Temporary Access Easement Request Letter and Temporary Construction Easement for your review and signature. Please let me or Tawni Dalziel (Sr. Stormwater Program Manager, City of Sammamish) know if you have any questions. Regards, Colin Worsley
O'Neill	James & Mary	Closed	03/08/18	03/09/18	TCE	E-mail	E-Mail	Not sure why 20 feet is needed for the temporary road but assuming it is, is it 10' on either side of the current marker pegs or something different?	Dear Mr. O'Neill, Thank you for the question. This Temporary Construction Easement (TCE) is needed for construction access to the culvert replacement site only. The requested 20-foot (TCE) is from your southeast property line that abuts King County Parks property. This width covers the roadway of E Lake Sammamish Shore Lane NE. Construction vehicles are anticipated to only use the existing roadway of Shore Lane here. Please feel free to contact Tawni Dalziel or me if further questions. Regards, Colin Worsley
O'Neill	James & Mary	Closed	N/A	03/08/18	TCE	N/A	E-Mail	N/A	Dear Mr. and Ms. O'Neill, This email message is follow up to the December 20, 2017 letter mailed to you from the City of Sammamish regarding the Zackuse Creek Fish Passage and Stream Restoration Project. The City of Sammamish and King County Parks are partners in the shared goal to improve stream habitat and provide fish passable culverts in Zackuse Creek. We will be replacing the undersized culvert under East Lake Sammamish Shore Lane NE with a fish passable culvert. The existing culvert is located at 205 East Lake Sammamish Shore Lane NE. The replacement is planned for Summer 2018 and will be completed concurrently with culvert replacements under East Lake Sammamish Parkway and the East Lake Sammamish Trail. We respectfully request a notarized signature on behalf of all property owners authorizing a temporary construction easement. This authorization is needed from all property owners along Shore Lane in order to replace the culvert because it is our understanding that all owners have a right to use Shore Lane for private access. The City needs authorization to use Shore Lane for the culvert replacement and to close access where necessary during construction. I have attached an electronic copy of the Temporary Access Easement Request Letter and Temporary Construction Easement for your review and signature. Please let me or Tawni Dalziel (Sr. Stormwater Program Manager, City of Sammamish) know if you have any questions. Regards, Colin Worsley
Spencer	Raymond	Closed	N/A	03/08/18	TCE	N/A	E-Mail	N/A	Dear Mr. Spencer, This email message is follow up to the December 20, 2017 letter mailed to you from the City of Sammamish regarding the Zackuse Creek Fish Passage and Stream Restoration Project. The City of Sammamish and King County Parks are partners in the shared goal to improve stream habitat and provide fish passable culverts in Zackuse Creek. We will be replacing the undersized culvert under East Lake Sammamish Shore Lane NE with a fish passable culvert. The existing culvert is located at 205 East Lake Sammamish Shore Lane NE. The replacement is planned for Summer 2018 and will be completed concurrently with culvert replacements under East Lake Sammamish Parkway and the East Lake Sammamish Trail. We respectfully request a notarized signature on behalf of all property owners authorizing a temporary construction easement. This authorization is needed from all property owners along Shore Lane in order to replace the culvert because it is our understanding that all owners have a right to use Shore Lane for private access. The City needs authorization to use Shore Lane for the culvert replacement and to close access where necessary during construction. I have attached an electronic copy of the Temporary Access Easement Request Letter and Temporary Construction Easement for your review and signature. Please let me or Tawni Dalziel (Sr. Stormwater Program Manager, City of Sammamish) know if you have any questions. Regards, Colin Worsley

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Beyeler-Vasquez	Frederick and Fanny	Closed	N/A	03/08/18	TCE	N/A	E-Mail	N/A	Dear Ms. Beyeler-Vasquez and Mr. Vasquez, This email message is follow up to the December 20, 2017 letter mailed to you from the City of Sammamish regarding the Zackuse Creek Fish Passage and Stream Restoration Project. The City of Sammamish and King County Parks are partners in the shared goal to improve stream habitat and provide fish passable culverts in Zackuse Creek. We will be replacing the undersized culvert under East Lake Sammamish Shore Lane NE with a fish passable culvert. The existing culvert is located at 205 East Lake Sammamish Shore Lane NE. The replacement is planned for Summer 2018 and will be completed concurrently with culvert replacements under East Lake Sammamish Parkway and the East Lake Sammamish Trail. We respectfully request a notarized signature on behalf of all property owners authorizing a temporary construction easement. This authorization is needed from all property owners along Shore Lane in order to replace the culvert because it is our understanding that all owners have a right to use Shore Lane for private access. The City needs authorization to use Shore Lane for the culvert replacement and to close access where necessary during construction. I have attached an electronic copy of the Temporary Access Easement Request Letter and Temporary Construction Easements for your review and signature. Please let me or Tawni Dalziel (Sr. Stormwater Program Manager, City of Sammamish) know if you have any questions. Regards, Colin Worsley
Johnson	John & Barbara	Closed	N/A	03/05/18	ROE	N/A	E-Mail	N/A	Dear Mr. and Mrs. Johnson, Please see attached letter regarding right of entry authorization to perform geotechnical test boring for the Pine Lake Creek Culvert Replacement at Whileaway Court as part of ELST South Sammamish Segment B. We appreciate your response. Regards, Colin Worsley
Wolfe	Jim	Closed	03/05/18	N/A	Drainage	E-mail	E-Mail	Great, see you then.	N/A
Wolfe	Jim	Closed	03/05/18	03/05/18	Drainage	E-mail	E-Mail	Hey Colin, I could meet with you on Thursday, March 8th at 10:00 am. Does that work for you? JIM	Dear Mr. Wolfe, Yes, Thursday at 10:00AM works well. See you then. Thank you, Colin Worsley
Wolfe	Jim	Closed	03/03/18	03/05/18	Drainage	E-mail	E-Mail	Hey Colin, Here's another thought on the drainage issue: I have discussed this with Ty Hill and Jim Creevey and we are all in agreement. Although I enjoy the ponds in front of my house, I think it might be best to route the water that now flows down to my bulkhead from the Hill's property (by their garage) over to the stream that goes through Creevey's property. That would mean that any culvert blockage that now exists on my property would not have any water running through it and therefore not be a problem looking for a solution. I would then fill in the pond area and have more gardens instead of the water feature. Let me know what you think of this idea. Again, I am available for a meeting next week. Thanks, JIM WOLFE	Dear Mr. Wolfe, This letter is written to provide a response to your email message on March 3, 2018 regarding the underground drainage system that is located on yours and King County's property. Your comments are summarized with King County responses below. Comment: Here's another thought on the drainage issue: I have discussed this with Ty Hill and Jim Creevey and we are all in agreement. Although I enjoy the ponds in front of my house, I think it might be best to route the water that now flows down to my bulkhead from the Hill's property (by their garage) over to the stream that goes through Creevey's property. That would mean that any culvert blockage that now exists on my property would not have any water running through it and therefore not be a problem looking for a solution. I would then fill in the pond area and have more gardens instead of the water feature. Let me know what you think of this idea. Again, I am available for a meeting next week. King County Response: I have forwarded your comment to the ELST design team regarding the potential to route the water in the underground drainage system to the stream that goes through the Creevey's property. Regarding an on-site meeting to discuss completing the survey of the drainage pipe, please see dates / times below and let us know if you can meet during any of these windows. Monday (today) 1:30pm – 3:00pm Tuesday (March 6) 9:00am – 1:00pm Thursday (March 8) 9:00am – 12:00pm If you have any other questions or concerns regarding these items or other aspects of the trail project, please feel free to contact
Allred	David & Stacy	Closed	03/03/18	03/05/18	ROE	E-mail	E-Mail	Hello, You have our permission to enter our property for field exploration. Thank you, Stacy and David Allred 921 E Lk Sammamish Sh Ln SE Sammamish, WA	Dear Mr. and Mrs. Allred, Thank you for the response! Regards, Colin Worsley
Wolfe	Jim	Closed	N/A	03/02/18	Drainage	N/A	E-Mail	N/A	Dear Mr. Wolfe, This is a follow up to the February 22, 2018 site visit where ELST (East Lake Sammamish Trail) project team members and surveyors met you to discuss and locate the underground drainage system that is located on yours and King County's property. A blockage in this drainage system was identified when the surveyors ran a conductible line from the end of the outlet pipe discharging to Lake Sammamish east toward the trail. The surveyors identified the path of the drainage pipe on your property to a point between your house and the trail where the blockage was found that prevented the conductible line from continuing any further. The surveyors will need to schedule another visit and use alternative methods to determine the cause of the blockage and to complete the survey of the drainage pipe. If you would like to discuss the alternative methods that may be used, please provide a couple of days and times that you would be available to meet next week and I will schedule a site meeting. Additionally, after talking with the ELST project engineers, it was determined that surveying the outlet pipe and bulkhead that are on your property would assist the design. If you will allow King County's surveyors to collect additional data and map these features on your property, please send me an email with your approval. Once again, we appreciate your cooperation. If you have any other questions or concerns regarding these items or other aspects of the trail project, please feel free to contact the project hotline at 1-888-668-4886 or ELST@kingcounty.gov.
Birrell	Doug	Closed	N/A	03/02/18	Drainage	N/A	In-Person	N/A	David Ulrich, Project Surveyors, and I (Colin Worsley) met with Mr. Birrell as requested in his signed ROE authorization. ROE was needed to survey a 20-foot swathe for above ground features along the drainage / stream system that flows on the Birrell's and Christensen's properties. Project team will likely need to come back and TV the underground drainage system in the future (from the ELST to the outlet between their houses). Mr. Birrell expressed his concerns about flooding of this stream system. He discussed the Nisqually Earthquake and that there were 2 flooding events following the earthquake. He said a new, larger pipe was installed under the ELS Parkway. He said that more water comes under the Parkway since the larger pipe was installed. He wants to know what can be done to reduce water/regulate flow under the Parkway. We told him that the Parkway is City ROW, not King County. He also has concerns about emergency vehicle access and turnaround. He may also have questions about the well in Shore Lane and the project design. We told him that he should email the ELST email address with his questions on the well and any concerns he may have regarding the ELST so we can get him responses.
Hamilton	Karen	Closed	N/A	03/02/18	Design	N/A	Phone	N/A	4 I (Savanna) called Karen, regarding the voicemail left on 3/02/18. She wanted to know when the 100% plans for Segment B would be released. I informed her that we are still in the permitting process, and she could keep checking the website for updates.

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Wolfe	Jim	Closed	03/02/18	03/05/18	Drainage	E-mail	E-Mail	<p>Hey Colin, I am mostly in town and available for a meeting sometime next week. Let me know a couple days that would be good for you in the morning and I'll pick one. As far as another survey, I have some reservations about that. Many years ago, when the gardens and ponds were first installed, I had some problems with the county. Eventually they approved what I had done, but it took a lot of work on my part to convince them that what I did was working well and was not a problem for the lake. I don't want to open up any of those issues again. So, if you want to talk about it, give me a call at 425-241-7234, but for now, hold off on the survey. Thanks, JIM</p>	<p>Dear Mr. Wolfe, This letter is written to provide a response to your email message on March 3, 2018 regarding the underground drainage system that is located on yours and King County's property. Your comments are summarized with King County responses below. Comment: Here's another thought on the drainage issue: I have discussed this with Ty Hill and Jim Creevey and we are all in agreement. Although I enjoy the ponds in front of my house, I think it might be best to route the water that now flows down to my bulkhead from the Hill's property (by their garage) over to the stream that goes through Creevey's property. That would mean that any culvert blockage that now exists on my property would not have any water running through it and therefore not be a problem looking for a solution. I would then fill in the pond area and have more gardens instead of the water feature. Let me know what you think of this idea. Again, I am available for a meeting next week. King County Response: I have forwarded your comment to the ELST design team regarding the potential to route the water in the underground drainage system to the stream that goes through the Creevey's property. Regarding an on-site meeting to discuss completing the survey of the drainage pipe, please see dates / times below and let us know if you can meet during any of these windows. Monday (today) 1:30pm – 3:00pm Tuesday (March 6) 9:00am – 1:00pm Thursday (March 8) 9:00am – 12:00pm If you have any other questions or concerns regarding these items or other aspects of the trail project, please feel free to contact the project hotline at 1-888-668-4886 or ELST@kingcounty.gov.</p>
Schmidt	Mike & Jackie	Closed	N/A	02/27/18	Fence	N/A	In-Person	N/A	Knocked on door of Schmidt residence to follow up on Ms. Schmidt's call to the ELST hotline on 02-16-18 regarding the split rail fence along Pine Lake Creek outside of the ELST trail corridor. Mr. Schmidt spoke with us and said that they have been in contact with the City of Sammamish. The City came out and removed the dilapidated/damaged fence and will be fixing this spring/summer.
Johnson	John & Barbara	Closed	N/A	02/27/18	ROE	N/A	In-Person	N/A	Knocked on door of Johnson residence to follow up on ROE request letter to see what questions they may have about signing the letter. Mr. Johnson answered, but said we should talk with Ms. Johnson whom was not home at that time. Geotechnical work is needed for Pine Lake Creek Culvert design. Previous ROE letters were sent in the mail on 01-10-18 and over email on 02-07-18.
MLSK, LLC	Tim Comer Katie Comer	Closed	N/A	02/27/18	ROE	N/A	In-Person	N/A	Knocked on door of MLSK, LLC residence to follow up on ROE request to the Whileaway Court community for geotechnical boring on the mutually owned tract property. Geotechnical work is needed for Pine Lake Creek Culvert design. Previous ROE letters were sent in the mail on 01-10-18 and over email on 02-07-18. No one answered the door. A new ROE request letter was left in a hanger on the door.
Allred	David & Stacy	Closed	N/A	02/27/18	ROE	N/A	In-Person	N/A	Knocked on door of Allred residence to follow up on ROE request to the Whileaway Court community for geotechnical boring on the mutually owned tract property. Geotechnical work is needed for Pine Lake Creek Culvert design. Previous ROE letters were sent in the mail on 01-10-18 and over email on 02-07-18. No one answered the door. A new ROE request letter was left in a hanger on the door.
Brockway	Reid	Closed	02/27/18	N/A	Plans	E-mail	N/A	<p>Colin, Thanks for the follow-up. The links on the ELST website still do not work (none of the design document links do, not just the Existing Conditions plans). But the link in your email below does. It also works when I paste it into Firefox. There's something different about clicking a link on the website. Anyway, I have what I need for the moment. Thanks, Reid</p>	N/A
Roberts	Steve	Closed	02/25/18	03/06/18	Revised 60% plan update	E-mail	E-Mail	<p>Dear Colin, Thanks once again for your letter of last November 2nd, 2017, attached. We've been out of the country until recently but my neighbors have told me that folks have been out surveying our area. I was wondering if there is now a revised 60% plan which contains the new revisions which was mentioned in your letter of November 2nd 2017. If available I'd appreciate seeing it. Also you asked me on October 31st, 2017 to authorize and sign a Right of Authorization for your department to have free access to do additional studies of our area because of the ingress/egress and access to our garage challenges we may have based on the then current 60% plan. This I signed (attached) and sent you on the same day, October 31st, 2017. Is there an update on this activity as well? I would love to meet someone on site to have them witness and discuss the best way to access our home after the trail is complete. As always we welcome a safe trail and are excited to see it completed as soon as possible. Best regards, Steve Roberts.</p>	<p>Dear Mr. Roberts, Thank you for your interest in the East Lake Sammamish Trail. The purpose of this letter is to respond to comments from your February 25, 2018 email message regarding the South Sammamish Segment B plans and right of entry authorization for survey. Your comment is summarized with King County's response below. Comment: I was wondering if there is now a revised 60% plan which contains the new revisions which was mentioned in your letter of November 2nd 2017. If available I'd appreciate seeing it. King County Response: There is a revised set of plans dated July 2017 posted to the project website for your information. The 90 percent plans will be the next set of plans to be released and will include additional details and revisions based on public comments received thru the permitting process. We anticipate the 90 percent plans to be complete late 2018. Comment: Also you asked me on October 31st, 2017 to authorize and sign a Right of Authorization for your department to have free access to do additional studies of our area because of the ingress/egress and access to our garage challenges we may have based on the then current 60% plan. This I signed (attached) and sent you on the same day, October 31st, 2017. Is there an update on this activity as well? I would love to meet someone on site to have them witness and discuss the best way to access our home after the trail is complete. King County Response: The survey field work for updating the building structure shape was completed in February. If additional entry is needed in the future we will contact you and request approval. If you have any other questions or concerns regarding the trees or the trail, please feel free to contact the project hotline at 1-888-668-4886 or ELST@kingcounty.gov.</p>
Madgett	Mark & Lizanne	Closed	N/A	02/23/18	ROE	N/A	Letter	N/A	<p>Dear Mr. & Mrs. Madgett, King County is in the process of designing South Sammamish Segment B of the East Lake Sammamish Master Plan Trail project. This 3.5 mile segment extends from Inglewood Hill Road to SE 33rd Street. Over the next couple of months, the design team will be doing survey work along the trail corridor to collect data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining complete and accurate information about drainage pathways, streams, and drainage problem areas. The purpose of this letter is to request entry to your property located at the address above. Specifically, the County is requesting entry to survey in front of your house. Entry will be made by way of the adjoining trail property. This involves project consultants entering your property and collecting topographic survey of the land and underground stormwater pipes. These specific conditions will be documented in field notes and may be photographed. We are requesting a temporary right of access allowing access only on weekdays between 8 a.m. and 5 p.m. This work should take no more than one day and is scheduled to occur sometime in March and April. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return this letter in the enclosed self-addressed envelope. Please note on the form if you would like to be notified several days in advance of entry to your property or if there are any special access requirements (e.g., access through locked gates or containment of pets). Your prompt attention is appreciated. King County is committed to being a good neighbor throughout design and construction of the East Lake Sammamish Trail and we look forward to working with you. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.</p>

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Khan	Arifulla & Christine	Closed	N/A	02/23/18	ROE	N/A	Letter	N/A	Dear Mr. & Mrs. Khan, King County is in the process of designing South Sammamish Segment B of the East Lake Sammamish Master Plan Trail project. This 3.5 mile segment extends from Inglewood Hill Road to SE 33rd Street. Over the next couple of months, the design team will be doing survey work along the trail corridor to collect data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining complete and accurate information about drainage pathways, streams, and drainage problem areas. The purpose of this letter is to request entry to your property located at the address above. Specifically, the County is requesting entry to for topographic survey near the northern property line along the storm drainage system on your neighbor's property, and the roadway for East Lake Sammamish Shore Lane NE. Entry will be made by way of the adjoining trail property. This involves project consultants entering your property, walking the drainage path, and collecting topographic survey of the land and underground stormwater pipes. These specific conditions will be documented in field notes and may be photographed. We are requesting a temporary right of access allowing access only on weekdays between 8 a.m. and 5 p.m. This work should take no more than one day and is scheduled to occur sometime in March and April. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return this letter in the enclosed self-addressed envelope. Please note on the form if you would like to be notified several days in advance of entry to your property or if there are any special access requirements (e.g., access through locked gates or containment of pets). Your prompt attention is appreciated. King County is committed to being a good neighbor throughout design and construction of the East Lake Sammamish Trail and we look forward to working with you. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov. Sincerely, Colin Worsley
Kempf	Lisa	Closed	02/22/18	N/A	Well	E-mail	N/A	Thanks so much Colin. Lisa Kempf	N/A
Wolfe	Jim	Closed	N/A	02/22/18	Surveys	N/A	In-Person	N/A	I (Colin) along with David Ulrich and Project Team Survey met with Mr. Wolfe. The purpose was to discuss and survey the storm drainage system that crosses through the trail corridor to his property and outlets to Lake Sammamish. The survey crew ran a conductible line in the drainage system. They ran the line starting from the outlet at the lake, continued upgradient through the pipe until an obstruction was encountered. The crews could not advance the line any further. Follow up survey will be needed. Mr. Creevey (neighbor to the south) spoke to us briefly at the beginning of the meeting about the drainage adjacent to and on his
Wolfe	Jim	Closed	N/A	02/22/18	Surveys	N/A	Phone	N/A	I (Colin) called and left a message for Mr. Wolfe asking if the ELST Project surveyors can survey the stormwater drainage outfall and bullhead on his property.
Kempf	Lisa	Closed	02/20/18	02/22/18	Well	E-mail	E-Mail	Hi Colin, When we met on Feb 8th regarding our neighborhood well, we had requested that the County keep us involved and inform us whenever a meeting regarding Section B of the King County trail is scheduled. Attached is a copy of the names and contact info of the homeowners on our street, with email addresses. Please include all of these addresses whenever any emails, information or data is sent/mailed to homeowners regarding the Section B area of the trail. Given that our well is within the Section B vicinity, and we pay property taxes to the County on the said well, we need to be included on all information. Thank you so much. Lisa Kempf CNE, SRES, Green	Dear Ms. Kempf, Thank you for providing the contact information for the Waverly Shores homeowners for future communications. I will be in contact with you soon regarding the concerns discussed on February 8 and provided in your February 17 email message. Regards, Colin Worsley
Brockway	Reid	Closed	02/20/18	02/27/18	Plans	E-mail	E-Mail	Colin, Thank you for the follow-up. Yes, that link works when I click on it in Thunderbird, my mail client, and it displays in Firefox, my browser. It also works if I do a Paste and Go in the address line of that browser. And (as you probably know) it is identical to the link for Existing Conditions Plan found on the South Sammamish B Segment page of the King County site. But when I click on that link at the KC website with Firefox nothing happens. Does that suggest anything to you as to the cause? Thanks, Reid	Dear Mr. Brockway, I forwarded our correspondence regarding the link for the South Sammamish Segment B Existing Conditions plans to our communications team that works on the ELST web site. This file has been renamed. Please try the link on the ELST web site. If that still does not work, the direct link to these plans has been changed to the following: https://www.kingcounty.gov/~media/services/parks-recreation/parks/east-lake-sammamish-trail/segment-b/elst-60percent-revised-plans/Existing_Conditions_Plan.ashx?la=en Regards, Colin Worsley
Brockway	Reid	Closed	N/A	02/20/18	Plans	N/A	E-Mail	N/A	Dear Mr. Brockway, Thank you for your interest in the East Lake Sammamish Trail Project. In follow up to your phone conversation with Savanna earlier today, please see link below for the South Sammamish Segment B Existing Conditions Plans. https://www.kingcounty.gov/~media/services/parks-recreation/parks/east-lake-sammamish-trail/Segment%20B/elst-60percent-revised-plans/Existing_Conditions_Plan.ashx?la=en Please let us know if this link does not work for you. Regards, Colin Worsley

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Kempf	Lisa	Closed	02/17/18	02/22/18	Well	E-mail	E-Mail	<p>Hi Colin,</p> <p>Thank you to you, David Ulrich, Craig Bultrago and Andrew Joyce for meeting a few of our homeowners regarding our well at Waverly Shores on SE 33rd street last week. We really appreciate your time and effort and feel that we were heard and that you understand our concerns regarding our well that serves 10 families with drinking water on our street. I have attached a document of notes that I took from the meeting, as well as points that King County said they would look into and possible resolutions. We have seen that the County has already added large boulders on SE 33rd to hopefully eliminate parking on SE 33rd to aid the site lines for the trail. Thank you very much for that. However, cars are occasionally still parking now beside the boulders and onto the street so I think we still need the no parking signs re-installed. We want to ensure cars don't park beside the sidewalk on SE 33rd as well, so a no parking sign at that location is needed as well. We also very much would like signs on the Plaza showing that it closes at dusk and no alcohol allowed. Thank you once again for your help on these matters regarding our well. We really appreciate it and look forward to hearing from you with the solutions that King County is going to do in order to safeguard our drinking water.</p> <p>Sincerely, Lisa Kempf CNE, SRES, Green</p>	<p>Dear Ms. Kempf,</p> <p>Thank you for providing the contact information for the Waverly Shores homeowners for future communications. I will be in contact with you soon regarding the concerns discussed on February 8 and provided in your February 17 email message.</p> <p>Regards,</p> <p>Colin Worsley</p>
Schmidt	Mike & Jackie	Closed	02/16/18	02/27/18	Fence Maintenance	E-mail	In-Person	<p>The Split Rail Fence in front of her property is falling over and would like it repaired. She is requesting to have this done by March 1st, 2018 since that is when she is putting her house on the market.</p>	<p>Knocked on door of Schmidt residence to follow up on Ms. Schmidt's call to the ELST hotline on 02-16-18 regarding the split rail fence along Pine Lake Creek outside of the ELST trail corridor. Mr. Schmidt spoke with us and said that they have been in contact with the City of Sammamish. The City came out and removed the dilapidated/downed fence and will be fixing this spring/summer.</p>
Wolfe	Jim	Closed	02/15/18	N/A	Drainage	E-mail	N/A	<p>That works great for me</p>	<p>N/A</p>
Wolfe	Jim	Closed	N/A	02/14/18	Drainage	N/A	E-Mail	<p>N/A</p>	<p>Dear Mr. Wolfe,</p> <p>The East Lake Sammamish Trail design team and survey staff are available to meet on February 22 (Thursday) at 9:30AM. Please confirm this works for you or let me know if another time would be better. I appreciate your coordination on this.</p> <p>Regards, Colin Worsley</p>
Unknown	Ellen	Closed	02/12/18	02/12/18	Seg B Timing	Phone	Phone	<p>Ellen left a message inquiring when South Sammamish Segment B will open / be constructed.</p>	<p>I (Colin) called Ellen back and left a message that construction on South Sammamish B is anticipated to begin Spring 2019.</p>
Kilgore	Marilyn and Lance	Closed	N/A	02/12/18	Access	N/A	E-Mail	<p>N/A</p>	<p>Dear Mr. Fray,</p> <p>This letter is written to provide follow up to our phone conversation from today regarding use of the East Lake Sammamish Trail Corridor for access. As discussed, you will need to contact King County Parks Property Management regarding use of King County Parks property. Please see contact information below. Parks Property Hotline 206-477-9770 parksproperty@kingcounty.gov. If you have any other questions or concerns regarding the trail project, please feel free to contact the project hotline at 1-888-668-4886 or ELST@kingcounty.gov.</p> <p>Sincerely, Colin Worsley</p>
Kilgore	Marilyn and Lance	Closed	02/09/18	02/12/18	Access	Phone	Phone	<p>Mr. Fray left a message saying he had questions about access and some other things. He would like a call back.</p>	<p>I (Colin) called back Thad Fray in follow up to his message regarding access. He is a landscaper whom is going to do a landscaping project for the Kilgore residence located at 1731 East Lake Sammamish Place SE. The Kilgore's have property on both sides of the ELST Corridor and he wants to know about being able to access the property via the trail. His project is approximately 1.5 weeks long. I told him that using the trail corridor for access likely requires a Special Use Permit and that he will need to discuss this with Parks Property Agents. I told him that I can provide the Parks Property contact information and forward his information to the Parks Property Agents for them to contact him as well. I will follow up with an email.</p> <p>Thad Fray's contact information: Phone Number: 206-799-1880 Email Address: thad@greenwaylandscapes.net</p>
Eaton	Adam	Closed	02/07/18	02/07/18	ROE	E-mail	E-Mail	<p>Colin</p> <p>I have signed the pdf on my phone. Let me know if it didn't work and I will get a hard copy to you.</p> <p>Thanks Adam Eaton</p>	<p>Dear Mr. Eaton,</p> <p>Thank you for providing the signed ROE authorization form today. The electronic copy is clear and works.</p> <p>Regards, Colin Worsley</p>
Eaton	Adam	Closed	N/A	02/07/18	ROE	N/A	E-Mail	<p>N/A</p>	<p>Dear Mr. Eaton,</p> <p>King County Parks continues to work on the design of the Pine Lake Creek Culvert Replacement at Whileaway Court as part of ELST South Sammamish Segment B. The geotechnical test boring we previously informed you about is necessary to advance and ensure accuracy of the design. I have attached a copy of the letter and right of entry authorization that was initially mailed to you for your signature to perform this geotechnical test boring. You may mail back the hard copy or send an electronic copy (scan) of the signed authorization form to the ELST project email address at ELST@kingcounty.gov. We appreciate your response. Please let me know if you have any questions regarding this form or about the culvert replacement project by contacting the ELST project hotline at 1-888-668-4886 or ELST@kingcounty.gov.</p> <p>Regards, Colin Worsley</p>
Johnson	John & Barbara	Closed	N/A	02/07/18	ROE	N/A	E-Mail	<p>N/A</p>	<p>Dear Mr. and Ms. Johnson,</p> <p>King County Parks continues to work on the design of the Pine Lake Creek Culvert Replacement at Whileaway Court as part of ELST South Sammamish Segment B. The geotechnical test boring we previously informed you about is necessary to advance and ensure accuracy of the design. I have attached a copy of the letter and right of entry authorization that was initially mailed to you for your signature to perform this geotechnical test boring. You may mail back the hard copy or send an electronic copy (scan) of the signed authorization form to the ELST project email address at ELST@kingcounty.gov. We appreciate your response. Please let me know if you have any questions regarding this form or about the culvert replacement project by contacting the ELST project hotline at 1-888-668-4886 or ELST@kingcounty.gov.</p> <p>Regards, Colin Worsley</p>

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Gill Trust	Larry Gill	Closed	N/A	02/07/18	ROE	N/A	E-Mail	N/A	Dear Mr. Gill, King County Parks continues to work on the design of the Pine Lake Creek Culvert Replacement at Whileaway Court as part of ELST South Sammamish Segment B. The geotechnical test boring we previously informed you about is necessary to advance and ensure accuracy of the design. I have attached a copy of the letter and right of entry authorization that was initially mailed to you for your signature to perform this geotechnical test boring. You may mail back the hard copy or send an electronic copy (scan) of the signed authorization form to the ELST project email address at ELST@kingcounty.gov. We appreciate your response. Please let me know if you have any questions regarding this form or about the culvert replacement project by contacting the ELST project hotline at 1-888-668-4886 or ELST@kingcounty.gov. Regards, Colin Worsley
MLSK, LLC	Tim Comer Katie Comer	Closed	N/A	02/07/18	ROE	N/A	E-Mail	N/A	Dear Mr. and Ms. Comer, King County Parks continues to work on the design of the Pine Lake Creek Culvert Replacement at Whileaway Court as part of ELST South Sammamish Segment B. The geotechnical test boring we previously informed you about is necessary to advance and ensure accuracy of the design. I have attached a copy of the letter and right of entry authorization that was initially mailed to you for your signature to perform this geotechnical test boring. You may mail back the hard copy or send an electronic copy (scan) of the signed authorization form to the ELST project email address at ELST@kingcounty.gov. We appreciate your response. Please let me know if you have any questions regarding this form or about the culvert replacement project by contacting the ELST project hotline at 1-888-668-4886 or ELST@kingcounty.gov. Regards, Colin Worsley
Allred	David & Stacy	Closed	N/A	02/07/18	ROE	N/A	E-Mail	N/A	Dear Mr. and Ms. Allred, King County Parks continues to work on the design of the Pine Lake Creek Culvert Replacement at Whileaway Court as part of ELST South Sammamish Segment B. The geotechnical test boring we previously informed you about is necessary to advance and ensure accuracy of the design. I have attached a copy of the letter and right of entry authorization that was initially mailed to you for your signature to perform this geotechnical test boring. You may mail back the hard copy or send an electronic copy (scan) of the signed authorization form to the ELST project email address at ELST@kingcounty.gov. We appreciate your response. Please let me know if you have any questions regarding this form or about the culvert replacement project by contacting the ELST project hotline at 1-888-668-4886 or ELST@kingcounty.gov. Regards, Colin Worsley
Kempf	Lisa	Closed	02/02/18	N/A	Well	E-mail	N/A	Thank you so much. We will be there. Lisa Kempf	N/A
Wolfe	Jim	Closed	02/02/18	02/06/18	Drainage	E-mail	E-Mail	I have a home in Hawaii. I will be there from Sunday Feb. 4 until Wednesday Feb. 21. I could meet with your people on Feb. 22 or 23 after I return. Email me with a time and date. Or give me a call at 425-241-7234 JIM WOLFE	Mr. Wolfe, Thank you for the response and providing dates you are available. I am checking with our design team staff to confirm which of those days they can meet. I should have this tomorrow and will follow up with another message. Regards, Colin Worsley
Wolfe	Jim	Closed	N/A	02/02/18	Drainage	N/A	E-Mail	N/A	Dear Mr. Wolfe, This is a follow up to my letter dated December 13, 2017 regarding the request for temporary right of entry to the south side of your property for the purpose of identifying the existing storm drainage system and outfall to Lake Sammamish located on your property. Unfortunately, the survey crew has had challenges locating the drainage system at the East Lake Sammamish Trail crossing. The survey crew would like to run a conductible line in the drainage system starting uphill of the trail down to the outlet on your property to help survey its location. Additionally, the design team staff would like to meet with you during this time to ask questions about the drainage. Please let us know if you are able to meet in the morning on any days during the week of February 12-16 or February 19-23. We appreciate your cooperation. If you have any other questions or concerns regarding the trail project, please feel free to contact the project hotline at 1-888-668-4886 or ELST@kingcounty.gov.
Kempf	Lisa	Closed	02/01/18	02/02/18	Well	E-mail	E-Mail	Thank you so much. Thursday February 8th between 8-11 would work best for us. Please confirm exact time that works for you and we will be up at the 33rd st entrance to the trail at that time. Thank you again Lisa Kempf	Dear Ms. Kempf, Let's plan on February 8 (Thursday) at 8:00am. We look forward to meeting.
Kempf	Lisa	Closed	01/31/18	01/31/18	Well	E-mail	E-Mail	Thanks so much Colin. I know it is late notice but if if at all possible, could it possibly be sometime before February 9th? We really appreciate your attention to this matter. Lisa Kempf	Dear Ms. Kempf, We are available to meet the following days / times before February 9: February 7 (Wednesday) between 1:00PM and 3:00PM February 8 (Thursday) between 8:00AM and 11:00AM Please let me know if you can meet either of these days within those timeframes, or if we should schedule this meeting at a later date. Regards,

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Ryan	Heidi	Closed	01/31/18	02/07/18	2921 or 2927 E Lake Samm Pky SE	E-mail	E-Mail	<p><i>Thanks Gina.</i></p> <p><i>Can one of u who is "cc'd" on this respond? Can u provide me with some info via email or suggest a meeting date/time anytime after Feb 12 (as I am currently out of town)?</i></p>	<p><i>Dear Ms. Ryan --</i></p> <p><i>I am emailing you in response to your inquiry on January 29th, 2018 to Gina Auld, King County Parks East Lake Sammamish Trail (ELST) Project Manager regarding the property located at 2921 / 2927 E Lake Sammamish Parkway SE, parcel number 4065100059. In your email, you asked for assistance regarding the following: I am currently out of town, but plan to make an offer on a property with the address of either 2921 or 2927 E Lake Samm Pky SE. It has different addresses depending on the source. The parcel ID is 4065100059. I have experience with the trail dating back to 1993 and have always worked with King County for win/win solutions. The property is not part of the lawsuit in that segment of the trail though it does have significant issues. Portions of the two homes may lie on ELST trail property and the driving access is across the trail. In response to these concerns we researched our records and concluded we do not have record of vehicular access to this property. We also do not have record of a Special Use Permit on file for the encroaching structures. However, we do show the Railroad granted a permit allowing temporary access for construction of a landscape retaining wall near the beach. This permit (T096-21122) was issued to Mr. Lathrop and expired June 27, 1996. As the steward of the ELST Corridor, King County Parks is responsible for preserving and protecting park and trail facilities to ensure their availability for public use and enjoyment. Private, non-park use of Parks' property is generally not allowed, but in limited circumstances may be authorized and permitted through a SUP in accordance with King County Code Chapter 14.30. Therefore, it is the position of King County Parks not to allow unpermitted encroaching structures to exist on its property. In this case however, we would consider allowing the structures to remain subject to the following conditions: 1. Completion of a survey, safety, habitability and occupancy inspection of the two structures on the waterfront recreational lot would need to be conducted by and independent licensed professional with the concurrence of the City of Sammamish and King County. 2. If in their existing condition, the structures are deemed structurally safe and fit for human occupancy by the City, King County would entertain the issuance of an extinguishable easement with application of the appropriate King County Parks land use fees. 3. The extinguishable easement, if issued, could grant the owner's authorization for continued use of the existing structures in their current condition until such time as one or the other either is deemed uninhabitable, unsafe, falls down, is demolished, is damaged or destroyed in some other manner. 4. At that time of its unfitness for continued habitable use, the structure would need to be removed from King County Parks' property. 5. No new structure would be allowed on King County Park property and as a result the encroachment and easement would be extinguished and no longer exist. Furthermore, if a permit to remodel or expand the existing structures is applied for in the future at the City of Sammamish, King County Parks would only support the issuance of the permit if the encroaching portion of the structure was removed from Public Lands. The East Lake Sammamish Trail Segment B 60% design plans located on our website here: https://www.kingcounty.gov/services/parks-recreation/parks/trails/regional-trails/popular-trails/east-lake-samm.aspx show that vehicular access is not proposed and will not be accommodated at this location. (I have cc'd David Pyle, Deputy Director City of Sammamish Community Development for their records). If I may be of further assistance please do not hesitate to contact me.</i></p> <p><i>Sincerely,</i> <i>Angie Schmidt</i></p>
Kempf	Lisa	Closed	N/A	01/31/18	Well	N/A	E-Mail	N/A	<p><i>Good morning Ms. Kempf,</i></p> <p><i>I am checking ELST project staff availability and will get back to you soon with some potential dates/times to meet.</i></p> <p><i>Regards,</i> <i>Colin</i></p>
Kempf	Lisa	Closed	N/A	01/30/18	Well	N/A	E-Mail	N/A	<p><i>Hi Ms. Kempf,</i></p> <p><i>Yes, Colin Worsley, the Project Manager for ELST Communications and Outreach, can schedule a meeting with you and your neighbors regarding the well adjacent to the East Lake Sammamish Trail at 33rd St. Colin will be contacting you shortly. Please note that the South Sammamish B segment of the East Lake Sammamish Trail is currently at 60% design and as stated in the attached document, more details will be provided as design progresses toward 90% plans. We may not be able to answer all of your questions at this time, however we will certainly be able to answer all of your questions and concerns prior to completing the trail design. Please let me know if you have any questions or if you need additional information.</i></p> <p><i>Regards,</i> <i>Gina Auld</i></p> <p><i>Dear Ms. Kempf,</i></p> <p><i>Thank you for your interest in the East Lake Sammamish Trail (ELST). The purpose of this letter is to respond to the comments from your emails on January 22 and 24 regarding the well in your neighborhood community (Waverly Shores). Please see a summary of your comments and King County's responses below.</i></p> <p><i>Comment: Could you please have someone give me a call and contact me regarding the Section B planned development. We have a well that serves 10 families that is directly beneath the proposed staging area right next to 33rd. We would like to ensure that the county is aware of the well and that no contamination occurs due to any development that will be going on or staging of materials/trucks, etc. Our families would like to set up an appointment for someone from King County to come and discuss the trail development and the plans to ensure the well does not get contaminated. We are concerned because while speaking to someone at the opening of the Section A, they said they were not aware of a well in the vicinity. We have spoken many times with representatives from King County and have been told they are aware of the well and now we have conflicting information. Again, please have someone contact me so we can schedule an appointment to meet with them to discuss the well and the Section B plans.</i></p> <p><i>King County Response: Thank you for sharing your concern. The ELST Project Team is aware of the well in the vicinity of SE 33rd Street that serves the Waverly Shores community. The well is shown on project documents including the Revised 60% Plans for ELST South Sammamish Segment B, Technical Information Report for ELST South Sammamish Segment B, and TIR for ELST South Sammamish Segment A. All of these documents are available on the ELST project website (https://www.kingcounty.gov/services/parks-recreation/parks/trails/regional-trails/popular-trails/east-lake-samm.aspx) under the Project Information by Segment section. More details will be added as the project moves to the 90 percent plans. Once additional measures have been identified the Project Team can let you know. If you have any other questions or concerns regarding this trail, please feel free to contact the project hotline at 1-888-668-4886 or ELST@kingcounty.gov.</i></p> <p><i>Sincerely,</i> <i>Colin Worsley</i></p>

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Ryan	Heidi	Closed	01/29/18	01/30/18	2921 or 2927 E Lake Samm Pky SE	E-mail	E-Mail	Hi Gina, I am currently out of town, but plan to make an offer on a property with the address of either 2921 or 2927 E Lake Samm Pky SE. It has different addresses depending on the source. The parcel ID is 4065100059. I have experience with the trail dating back to 1993 and have always worked with King County for win/win solutions. The property is not part of the lawsuit in that segment of the trail though it does have significant issues. Portions of the two homes may lie on trail property and the driving access is across the trail. I'm not sure if you are the right person to meet with to resolve these issues, but I imagine you can connect me with the right individual if not. I will be back in town and am available to meet any time after Feb 12th. Thank you in advance for your help, Heidi Ryan	Hi Heidi, You may contact Parks Property Agents at 206.477.9970 and they will be able to answer your questions. Please let me know if you have any other questions. Thank you. Gina Auld
Schmidt	Mike & Jackie	Closed	01/22/18	N/A	Fence Maintenance	E-mail	N/A	Hi Colin, Thank you. I will follow up with the city of Sammamish. Jackie Schmidt	N/A
Wright	Charlie	Closed	N/A	01/22/18	ROE	N/A	E-Mail	N/A	Dear Mr. and Ms. Wright, King County Parks is in the process of designing South Sammamish Segment B of the East Lake Sammamish Master Plan Trail project. Please see the attached letter and right of entry authorization for your signature. An attempt at mailing a hard copy of this letter was made previously, but it was unable to be delivered. We appreciate your response. Regards, Colin Worsley
Bird	Jan	Closed	01/21/18	01/25/18	Residential Auto Turntable	E-mail	E-Mail	Have you folks ever thought about an automobile turntable to help Gene Morel get in and out of his garage but still widen the trail? Think you still would have to pave 12' and forget the shoulders as it's so tight there. Saw these videos and wondered if that would work: https://www.youtube.com/watch?v=NMf8mcn8Q00 https://www.youtube.com/watch?v=ZdpgNZHDUXY Would be cool if it worked for his situation. Jan Bird	Dear Ms. Bird, Thank you for your interest in the East Lake Sammamish Trail (ELST). The purpose of this letter is to respond to the comment from your email message on January 21, 2018. Please see your comment and King County's response below. Comment: Have you folks ever thought about an automobile turntable to help Gene Morel get in and out of his garage but still widen the trail? Think you still would have to pave 12' and forget the shoulders as it's so tight there. Saw these videos and wondered if that would work: https://www.youtube.com/watch?v=NMf8mcn8Q00 https://www.youtube.com/watch?v=ZdpgNZHDUXY Would be cool if it worked for his situation. King County Response: Thank you for sharing your comment. I am forwarding your email message to King County Parks Management. If you have any other questions or concerns regarding this trail, please feel free to contact the project hotline at 1-888-668-4886 or ELST@kingcounty.gov.
Johnson	John & Barbara	Closed	01/18/18	01/18/18	ROE	E-mail	E-Mail	Thank you Colin- Yes, we did receive the Right of Entry Request. We do have some questions. • Your letter mentions boring pits but the map only has one spot indicated on it. How many pits will actually be drilled? • Will Whileaway Court remain open for vehicle passage during the day(s) of the boring? • Given the size of the boring pit, will any vegetation need to be removed in the boring process? Please specify. Thank you. John & Barbara Johnson	Dear Mr. and Ms. Johnson, Thank you for your email message today regarding the right of entry authorization for geotechnical boring test pits associated with the Pine Lake Creek Culvert Replacement in the Whileaway Court neighborhood. Please see your comments and King County's responses below. Comment: Your letter mentions boring pits but the map only has one spot indicated on it. How many pits will actually be drilled? King County Parks Response: One boring test pit will be drilled. Comment: Will Whileaway Court remain open for vehicle passage during the day(s) of the boring? King County Parks Response: Yes, the road will remain open for vehicle passage. Comment: Given the size of the boring pit, will any vegetation need to be removed in the boring process? Please specify. King County Parks Response: No vegetation is anticipated to be removed as part of the boring process. King County appreciates your cooperation on the Pine Lake Creek crossing. If you have any other questions or concerns regarding this or the trail, please feel free to contact the project hotline at 1-888-668-4886 or ELST@kingcounty.gov.
Schmidt	Mike & Jackie	Closed	01/17/18	01/17/18	ROE	E-mail	N/A	Hi Colin and ELST Master Plan. As confirmed via a phone conversation with Jackie today, I also wanted to reiterate that we sent in the authorization form yesterday. Best regards. --Mike	N/A

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Schmidt	Mike & Jackie	Closed	N/A	01/17/18	ROE	N/A	E-Mail	N/A	<p><i>Dear Whileaway Court Residents and City of Sammamish,</i></p> <p>King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment B trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.</p>
Ramirez	Christopher & Shannon	Closed	N/A	01/17/18	ROE	N/A	E-Mail	N/A	<p><i>Dear Whileaway Court Residents and City of Sammamish,</i></p> <p>King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment B trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.</p>

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Lees	Andrew & Linnet	Closed	N/A	01/17/18	ROE	N/A	E-Mail	N/A	Dear Whileaway Court Residents and City of Sammamish, King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment 8 trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.
Johnson	John & Barbara	Closed	N/A	01/17/18	ROE	N/A	E-Mail	N/A	Dear Whileaway Court Residents and City of Sammamish, King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment 8 trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Gill Trust	Larry Gill	Closed	N/A	01/17/18	ROE	N/A	E-Mail	N/A	<p><i>Dear Whileaway Court Residents and City of Sammamish,</i></p> <p>King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment B trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.</p>
Eaton	Adam	Closed	N/A	01/17/18	ROE	N/A	E-Mail	N/A	<p><i>Dear Whileaway Court Residents and City of Sammamish,</i></p> <p>King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment B trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.</p>

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Beall	Gene & Sally	Closed	N/A	01/17/18	ROE	N/A	E-Mail	N/A	<p><i>Dear Whileaway Court Residents and City of Sammamish,</i></p> <p>King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment B trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.</p>
Allred	David & Stacy	Closed	N/A	01/17/18	ROE	N/A	E-Mail	N/A	<p><i>Dear Whileaway Court Residents and City of Sammamish,</i></p> <p>King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment B trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.</p>

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
City of Sammamish	Tawni Dalziel	Closed	N/A	01/17/18	ROE	N/A	E-Mail	N/A	<p>Dear Whileaway Court Residents and City of Sammamish,</p> <p>King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment B trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.</p>
Schmidt	Mike & Jackie	Closed	01/15/18	01/25/18	Fence Maintenance	E-mail	E-Mail	<p>Hi Colin,</p> <p>It turns out that we will be listing our home as of March 1st. Any chance those fence posts can be repaired by then? It looks very dilapidated at this point.</p> <p>Thanks,</p> <p>Jackie Schmidt</p>	<p>Dear Mr. and Ms. Schmidt,</p> <p>This letter is a follow up to your email messages on December 23, 2017 and January 15, 2018 regarding fence maintenance along Pine Lake Creek in the Whileaway Court neighborhood. Please see your comment and King County's response below.</p> <p>Comment: It is my understanding that King County is responsible for the maintenance of the parcel of property that surrounds Pine Lake Creek in my small neighborhood. King County made an agreement with the Gill Estate many years back regarding this area of wetland? King County has a drainage easement and a responsibility to maintain the area. Anyway, we have noticed several wooden fence rails that have fallen down next to the creek. We are putting our house up on the market in the next few months and would appreciate it looking better in our neighborhood and also the railings clearly are not serving their safety purpose next to the creek there this wild and wooly winter season. Sometimes that creek is a raging river, so I'm assuming King County would prefer the railings be fully functioning.</p> <p>King County Parks Response: Thank you for the inquiry about maintenance of features (specifically the fence) associated with the drainage easement along Pine Lake Creek in your neighborhood. King County staff researched the questions regarding maintenance of the drainage easement and fence and determined that the drainage easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. Any inquiries and requests regarding maintenance of features associated with the easement subsequent to 2013 should be brought to the attention of the City. If you have any other questions or concerns regarding the trail, please feel free to contact the project hotline at 1-888-668-4886 or ELST@kingcounty.gov.</p>
Bird	Jan	Closed	01/11/18	01/25/18	Parking Lot Hearing and Mile Markers	E-mail	E-Mail	<p>I just heard back from David Pyle that the hearing has not been cancelled and he has asked that it also be placed on the city calendar.</p> <p>Jan Bird</p> <p>Also, I would really like to see some kind of mileage markers on the trail. I have seen a few blue ones here and there but no consistent marking. Is there any reason why you couldn't place markers on the fences since I understand there is a concern they get in the way of maintenance? Especially when you are walking, it helps to know how far you have gone and how much further the rest room or other spots on the trail are.</p> <p>Thanks! Jan Bird</p>	<p>Dear Ms. Bird,</p> <p>Thank you for your interest in the East Lake Sammamish Trail (ELST). The purpose of this letter is to respond to the comment from your email message on January 11, 2018 regarding mile markers. Please see a summary of your comment and King County's responses below.</p> <p>Comment: I would really like to see some kind of mileage markers on the trail. I have seen a few blue ones here and there but no consistent marking. Is there any reason why you couldn't place markers on the fences since I understand there is a concern they get in the way of maintenance? Especially when you are walking, it helps to know how far you have gone and how much further the rest room or other spots on the trail are.</p> <p>King County Response: Thank you for sharing your comment regarding mile markers for the ELST. I am forwarding your email message to King County Parks Management for their review and consideration.</p> <p>If you have any other questions or concerns regarding this trail, please feel free to contact the project hotline at 1-888-668-4886 or</p>

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Bird	Jan	Closed	01/11/18	N/A	Parking Lot Hearing and Mile Markers	E-mail	N/A	I just noticed that although on the City of Sammamish web page it says the Parking Lot hearing was to be continued to Jan 24-26, the city calendar doesn't have it listed. Has it been cancelled due to the response on the other permit? I have sent an email to David Pyle asking the same question. Also, I would really like to see some kind of mileage markers on the trail. I have seen a few blue ones here and there but no consistent marking. Is there any reason why you couldn't place markers on the fences since I understand there is a concern they get in the way of maintenance? Especially when you are walking, it helps to know how far you have gone and how much further the rest room or other spots on the trail are. Thanks! Jan Bird	N/A
Schmidt	Mike & Jackie	Closed	N/A	01/10/18	ROE	N/A	Letter	N/A	Dear Whileaway Court Residents and City of Sammamish, King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment B trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Ramirez	Christopher & Shannon	Closed	N/A	01/10/18	ROE	N/A	Letter	N/A	<p>Dear Whileaway Court Residents and City of Sammamish,</p> <p>King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment B trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.</p>
MLSK, LLC	Tim Comer Katie Comer	Closed	N/A	01/10/18	ROE	N/A	Letter	N/A	<p>Dear Whileaway Court Residents and City of Sammamish,</p> <p>King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment B trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.</p>

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Lees	Andrew & Linnet	Closed	N/A	01/10/18	ROE	N/A	Letter	N/A	<p><i>Dear Whileaway Court Residents and City of Sammamish,</i></p> <p>King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment B trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.</p>
Johnson	John & Barbara	Closed	N/A	01/10/18	ROE	N/A	Letter	N/A	<p><i>Dear Whileaway Court Residents and City of Sammamish,</i></p> <p>King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment B trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.</p>

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Gill Trust	Larry Gill	Closed	N/A	01/10/18	ROE	N/A	Letter	N/A	<p><i>Dear Whileaway Court Residents and City of Sammamish,</i></p> <p>King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment B trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.</p>
Eaton	Adam	Closed	N/A	01/10/18	ROE	N/A	Letter	N/A	<p><i>Dear Whileaway Court Residents and City of Sammamish,</i></p> <p>King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment B trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.</p>

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
Beall	Gene & Sally	Closed	N/A	01/10/18	ROE	N/A	Letter	N/A	<p><i>Dear Whileaway Court Residents and City of Sammamish,</i></p> <p>King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment B trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.</p>
Allred	David & Stacy	Closed	N/A	01/10/18	ROE	N/A	Letter	N/A	<p><i>Dear Whileaway Court Residents and City of Sammamish,</i></p> <p>King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment B trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.</p>

Last Name	First Name	Status	Date Received	Date Returned	Comment Topic/Category	Method Received	Method Returned	Comment/Concern	King County Response
MLSK, LLC	Tim Comer Katie Comer	Closed	N/A	01/18/17	ROE	N/A	E-Mail	N/A	<p>Dear Whileaway Court Residents and City of Sammamish,</p> <p>King County is in the process of designing the Pine Lake Creek culvert replacement to mitigate for fish passage as part of King County's East Lake Sammamish Master Plan Trail (ELST) project. The Lake Sammamish Kokanee Work Group identifies Pine Lake Creek as a primary spawning stream for kokanee, one of four streams in the Lake Sammamish basin that has supported the vast majority of spawning by late-run kokanee in recent years. The replacement or improvement of the culvert at Whileaway Court (East Lake Sammamish Shore Lane SE) is included on a Lake Sammamish Kokanee Work Group list of suggested stream restoration and enhancement projects needed to help improve the health of native kokanee populations. Replacing the existing culvert with a crossing that meets fish passage standards will improve connectivity to approximately 150 feet of upstream habitat. The existing crossing in the ELST corridor will be replaced as part of the South Sammamish Segment B trail construction project. The purpose of this letter is to request entry to your property (Whileaway Court, also known as Parcel Number 519710TRCT). In the coming weeks, the design team will need to perform geotechnical field exploration boring for the Pine Lake Creek culvert replacement. This is in an effort to collect soil data on existing conditions to ensure accuracy of the design as it progresses. This work includes obtaining accurate information about existing soil composition. To do so, boring test pits will be necessary. The attached figure shows the locations where the boring test pits will take place. Specifically, the County is requesting entry to Whileaway Court at the east and west side of the culvert for the purpose of boring test pits. These test pits are approximately two (2) feet wide by five (5) feet deep and will be completed by Gregory Drilling. Each test pit will be bored by first vacuum excavating the upper four (4) to five (5) feet to ensure the pits are clear of utilities, and then boring using a small, rubber track drill. Each pit will be filled and compacted prior to Gregory Drilling leaving the site. You may note that this letter is being sent jointly to both the residents of Whileaway Court and the City of Sammamish. During the meeting with residents on November 2, 2017, King County Staff were asked what entity was responsible for maintenance of the drainage easement. Staff researched the question and determined that the easement was transferred to the City of Sammamish as part of the incorporation of the City in 1999, and therefore the City is the "assignee" of the easement. King County's stormwater group continued maintenance on the easement by contract with the City until 2013. As the assignee of the easement, the City also needs to agree to the right of entry request explained above. This geotechnical field exploration for Pine Lake Creek has been approved by the Washington State Department of Archaeology and Historic Preservation. The results from the test pits will assist with finalizing the design. The final design will be shared with homeowners prior to submitting for permits from the City of Sammamish. At that point we will need to seek authorization from you for temporary construction access in order to submit for permits. At this time, the County is requesting a temporary right of entry allowing access on weekdays between 8 a.m. and 5 p.m. for the test pits. This work is expected to take no more than one day and is scheduled to occur sometime in January or February of 2018, pending permits from the City of Sammamish. We appreciate your willingness to allow this access. To authorize these activities, please sign the attached page and return it in the enclosed self-addressed envelope by January 18, 2018, if possible. Please note on the form if you would like to be notified several days in advance of entry to your property. King County is committed to being a good neighbor throughout design and construction of the ELST and we look forward to working with you. Your prompt attention is appreciated. If you have any questions or concerns, please feel free to call the project hotline at 1-888-668-4886, or project email at ELST@kingcounty.gov.</p>